

Cam-action indexing plungers stainless steel

Item description/product images



Description

Product description:

Cam-action indexing plungers are used where any change in locking position due to lateral forces should be prevented. Turning the grip through 180° retracts the indexing pin, enabling a change in the indexed position. The notch ensures that the grip remains in this position and the indexing pin remains retracted.

Material:

Grip 1.4308.

Threaded sleeve and indexing pin 1.4305.

Spring 1.4310.

Grip cap thermoplast PA.

Version:

Threaded sleeve and grip bright.

Indexing pin ground and left bright.

Spring bright.

Grip cap in various colours:

- black grey RAL 7021
- pure orange RAL 2004
- colza yellow RAL 1021
- traffic red RAL 3020
- signal green RAL 6032
- traffic blue RAL 5017
- light grey RAL 7035

Advantages:

Turning the grip through 180° retracts the pin.

Optionally available with coloured plastic grip caps.

Mounted via the external thread.

On request:

Special versions.

Accessory:

Mounting bracket B0065.

Positioning bush B0063.

Drawing reference:

Form A: without grip cap or locknut


Form B: without grip cap, with locknut

Form C: with grip cap, without locknut

Form D: with grip cap and locknut

Cam-action indexing plungers stainless steel

Drawings



Overview of items

Cam-action indexing plungers stainless steel

Order No.	Form	Component colour	D	D1	D2	L	L1	L3	B	B1	H	SW	Fx30°	Spring force initial pressure F1 approx. N	Spring force final pressure F2 approx. N
B0534.1040410	A	-	4	M10	10	38,5	25	20	9	3	6	-	1	8	14
B0534.10404101	A	-	4	M10x1	10	38,5	25	20	9	3	6	-	1	8	14
B0534.1040510	A	-	5	M10	10	38,5	25	20	9	3	6	-	1,3	8	14
B0534.10405101	A	-	5	M10x1	10	38,5	25	20	9	3	6	-	1,3	8	14
B0534.1040610	A	-	6	M10	10	38,5	25	20	9	3	6	-	1,8	8	14
B0534.10406101	A	-	6	M10x1	10	38,5	25	20	9	3	6	-	1,8	8	14
B0534.1040512	A	-	5	M12	12	47,4	30	25	10,8	3,6	8	-	1,3	8	15
B0534.10405121	A	-	5	M12x1,5	12	47,4	30	25	10,8	3,6	8	-	1,3	8	15
B0534.1040612	A	-	6	M12	12	47,4	30	25	10,8	3,6	8	-	1,8	8	15
B0534.10406121	A	-	6	M12x1,5	12	47,4	30	25	10,8	3,6	8	-	1,8	8	15
B0534.1040812	A	-	8	M12	12	47,4	30	25	10,8	3,6	8	-	2,3	8	15
B0534.10408121	A	-	8	M12x1,5	12	47,4	30	25	10,8	3,6	8	-	2,3	8	15
B0534.1040616	A	-	6	M16	16	61,2	40	32	14,4	4,8	10	-	1,8	15	35
B0534.10406161	A	-	6	M16x1,5	16	61,2	40	32	14,4	4,8	10	-	1,8	15	35
B0534.1040816	A	-	8	M16	16	61,2	40	32	14,4	4,8	10	-	2,3	15	35
B0534.10408161	A	-	8	M16x1,5	16	61,2	40	32	14,4	4,8	10	-	2,3	15	35
B0534.1041016	A	-	10	M16	16	61,2	40	32	14,4	4,8	10	-	2,8	15	35
B0534.10410161	A	-	10	M16x1,5	16	61,2	40	32	14,4	4,8	10	-	2,8	15	35
B0534.1040820	A	-	8	M20	20	71	50	35	18	6	12	-	2,3	20	60
B0534.10408201	A	-	8	M20x1,5	20	71	50	35	18	6	12	-	2,3	20	60
B0534.1041020	A	-	10	M20	20	71	50	35	18	6	12	-	2,8	20	60
B0534.10410201	A	-	10	M20x1,5	20	71	50	35	18	6	12	-	2,8	20	60
B0534.1041220	A	-	12	M20	20	71	50	35	18	6	12	-	3	20	60
B0534.10412201	A	-	12	M20x1,5	20	71	50	35	18	6	12	-	3	20	60
B0534.1050410	B	-	4	M10	10	38,5	25	20	9	3	6	17	1	8	14
B0534.10504101	B	-	4	M10x1	10	38,5	25	20	9	3	6	17	1	8	14
B0534.1050510	B	-	5	M10	10	38,5	25	20	9	3	6	17	1,3	8	14
B0534.10505101	B	-	5	M10x1	10	38,5	25	20	9	3	6	17	1,3	8	14
B0534.1050610	B	-	6	M10	10	38,5	25	20	9	3	6	17	1,8	8	14
B0534.10506101	B	-	6	M10x1	10	38,5	25	20	9	3	6	17	1,8	8	14
B0534.1050512	B	-	5	M12	12	47,4	30	25	10,8	3,6	8	19	1,3	8	15
B0534.10505121	B	-	5	M12x1,5	12	47,4	30	25	10,8	3,6	8	19	1,3	8	15
B0534.1050612	B	-	6	M12	12	47,4	30	25	10,8	3,6	8	19	1,8	8	15
B0534.10506121	B	-	6	M12x1,5	12	47,4	30	25	10,8	3,6	8	19	1,8	8	15

Cam-action indexing plungers stainless steel

Overview of items

Order No.	Form	Component colour	D	D1	D2	L	L1	L3	B	B1	H	SW	Fx30°	Spring force initial pressure F1 approx. N	Spring force final pressure F2 approx. N
B0534.1050812	B	-	8	M12	12	47,4	30	25	10,8	3,6	8	19	2,3	8	15
B0534.10508121	B	-	8	M12x1,5	12	47,4	30	25	10,8	3,6	8	19	2,3	8	15
B0534.1050616	B	-	6	M16	16	61,2	40	32	14,4	4,8	10	24	1,8	15	35
B0534.10506161	B	-	6	M16x1,5	16	61,2	40	32	14,4	4,8	10	24	1,8	15	35
B0534.1050816	B	-	8	M16	16	61,2	40	32	14,4	4,8	10	24	2,3	15	35
B0534.10508161	B	-	8	M16x1,5	16	61,2	40	32	14,4	4,8	10	24	2,3	15	35
B0534.1051016	B	-	10	M16	16	61,2	40	32	14,4	4,8	10	24	2,8	15	35
B0534.10510161	B	-	10	M16x1,5	16	61,2	40	32	14,4	4,8	10	24	2,8	15	35
B0534.1050820	B	-	8	M20	20	71	50	35	18	6	12	30	2,3	20	60
B0534.10508201	B	-	8	M20x1,5	20	71	50	35	18	6	12	30	2,3	20	60
B0534.1051020	B	-	10	M20	20	71	50	35	18	6	12	30	2,8	20	60
B0534.10510201	B	-	10	M20x1,5	20	71	50	35	18	6	12	30	2,8	20	60
B0534.1051220	B	-	12	M20	20	71	50	35	18	6	12	30	3	20	60
B0534.10512201	B	-	12	M20x1,5	20	71	50	35	18	6	12	30	3	20	60
B0534.1060410	C	black grey RAL 7021	4	M10	10	39,5	26,3	20	10,9	4,9	6	-	1	8	14
B0534.10604101	C	black grey RAL 7021	4	M10x1	10	39,5	26,3	20	10,9	4,9	6	-	1	8	14
B0534.1060510	C	black grey RAL 7021	5	M10	10	39,5	26,3	20	10,9	4,9	6	-	1,3	8	14
B0534.10605101	C	black grey RAL 7021	5	M10x1	10	39,5	26,3	20	10,9	4,9	6	-	1,3	8	14
B0534.1060610	C	black grey RAL 7021	6	M10	10	39,5	26,3	20	10,9	4,9	6	-	1,8	8	14
B0534.10606101	C	black grey RAL 7021	6	M10x1	10	39,5	26,3	20	10,9	4,9	6	-	1,8	8	14
B0534.1060512	C	black grey RAL 7021	5	M12	12	48,4	31,1	25	12,9	5,7	8	-	1,3	8	15
B0534.10605121	C	black grey RAL 7021	5	M12x1,5	12	48,4	31,1	25	12,9	5,7	8	-	1,3	8	15
B0534.1060612	C	black grey RAL 7021	6	M12	12	48,4	31,1	25	12,9	5,7	8	-	1,8	8	15
B0534.10606121	C	black grey RAL 7021	6	M12x1,5	12	48,4	31,1	25	12,9	5,7	8	-	1,8	8	15
B0534.1060812	C	black grey RAL 7021	8	M12	12	48,4	31,1	25	12,9	5,7	8	-	2,3	8	15
B0534.10608121	C	black grey RAL 7021	8	M12x1,5	12	48,4	31,1	25	12,9	5,7	8	-	2,3	8	15
B0534.1060616	C	black grey RAL 7021	6	M16	16	62,3	41,5	32	16,6	7	10	-	1,8	15	35
B0534.10606161	C	black grey RAL 7021	6	M16x1,5	16	62,3	41,5	32	16,6	7	10	-	1,8	15	35
B0534.1060816	C	black grey RAL 7021	8	M16	16	62,3	41,5	32	16,6	7	10	-	2,3	15	35
B0534.10608161	C	black grey RAL 7021	8	M16x1,5	16	62,3	41,5	32	16,6	7	10	-	2,3	15	35
B0534.1061016	C	black grey RAL 7021	10	M16	16	62,3	41,5	32	16,6	7	10	-	2,8	15	35
B0534.10610161	C	black grey RAL 7021	10	M16x1,5	16	62,3	41,5	32	16,6	7	10	-	2,8	15	35
B0534.1060820	C	black grey RAL 7021	8	M20	20	72,3	51,3	35	20,5	8,5	12	-	2,3	20	60
B0534.10608201	C	black grey RAL 7021	8	M20x1,5	20	72,3	51,3	35	20,5	8,5	12	-	2,3	20	60
B0534.1061020	C	black grey RAL 7021	10	M20	20	72,3	51,3	35	20,5	8,5	12	-	2,8	20	60
B0534.10610201	C	black grey RAL 7021	10	M20x1,5	20	72,3	51,3	35	20,5	8,5	12	-	2,8	20	60
B0534.1061220	C	black grey RAL 7021	12	M20	20	72,3	51,3	35	20,5	8,5	12	-	3	20	60
B0534.10612201	C	black grey RAL 7021	12	M20x1,5	20	72,3	51,3	35	20,5	8,5	12	-	3	20	60
B0534.10604102	C	orange RAL 2004	4	M10	10	39,5	26,3	20	10,9	4,9	6	-	1	8	14
B0534.106041012	C	orange RAL 2004	4	M10x1	10	39,5	26,3	20	10,9	4,9	6	-	1	8	14
B0534.10605102	C	orange RAL 2004	5	M10	10	39,5	26,3	20	10,9	4,9	6	-	1,3	8	14
B0534.106051012	C	orange RAL 2004	5	M10x1	10	39,5	26,3	20	10,9	4,9	6	-	1,3	8	14
B0534.10606102	C	orange RAL 2004	6	M10	10	39,5	26,3	20	10,9	4,9	6	-	1,8	8	14
B0534.106061012	C	orange RAL 2004	6	M10x1	10	39,5	26,3	20	10,9	4,9	6	-	1,8	8	14
B0534.10605122	C	orange RAL 2004	5	M12	12	48,4	31,1	25	12,9	5,7	8	-	1,3	8	15
B0534.106051212	C	orange RAL 2004	5	M12x1,5	12	48,4	31,1	25	12,9	5,7	8	-	1,3	8	15
B0534.10606122	C	orange RAL 2004	6	M12	12	48,4	31,1	25	12,9	5,7	8	-	1,8	8	15
B0534.106061212	C	orange RAL 2004	6	M12x1,5	12	48,4	31,1	25	12,9	5,7	8	-	1,8	8	15
B0534.10608122	C	orange RAL 2004	8	M12	12	48,4	31,1	25	12,9	5,7	8	-	2,3	8	15
B0534.106081212	C	orange RAL 2004	8	M12x1,5	12	48,4	31,1	25	12,9	5,7	8	-	2,3	8	15
B0534.10606162	C	orange RAL 2004	6	M16	16	62,3	41,5	32	16,6	7	10	-	1,8	15	35
B0534.106061612	C	orange RAL 2004	6	M16x1,5	16	62,3	41,5	32	16,6	7	10	-	1,8	15	35
B0534.10608162	C	orange RAL 2004	8	M16	16	62,3	41,5	32	16,6	7	10	-	2,3	15	35
B0534.106081612	C	orange RAL 2004	8	M16x1,5	16	62,3	41,5	32	16,6	7	10	-	2,3	15	35
B0534.10610162	C	orange RAL 2004	10	M16	16	62,3	41,5	32	16,6	7	10	-	2,8	15	35
B0534.106101612	C	orange RAL 2004	10	M16x1,5	16	62,3	41,5	32	16,6	7	10	-	2,8	15	35
B0534.10608202	C	orange RAL 2004	8	M20	20	72,3	51,3	35	20,5	8,5	12	-	2,3	20	60
B0534.106082012	C	orange RAL 2004	8	M20x1,5	20	72,3	51,3	35	20,5	8,5	12	-	2,3	20	60
B0534.10610202	C	orange RAL 2004	10	M20	20	72,3	51,3	35	20,5	8,5	12	-	2,8	20	60
B0534.106102012	C	orange RAL 2004	10	M20x1,5	20	72,3	51,3	35	20,5	8,5	12	-	2,8	20	60
B0534.10612202	C	orange RAL 2004	12	M20	20	72,3	51,3	35	20,5	8,5	12	-	3	20	60

Cam-action indexing plungers stainless steel

Overview of items

Order No.	Form	Component colour	D	D1	D2	L	L1	L3	B	B1	H	SW	Fx30°	Spring force initial pressure F1 approx. N	Spring force final pressure F2 approx. N
B0534.106122012	C	orange RAL 2004	12	M20x1,5	20	72,3	51,3	35	20,5	8,5	12	-	3	20	60
B0534.106041016	C	colza yellow RAL 1021	4	M10	10	39,5	26,3	20	10,9	4,9	6	-	1	8	14
B0534.1060410116	C	colza yellow RAL 1021	4	M10x1	10	39,5	26,3	20	10,9	4,9	6	-	1	8	14
B0534.106051016	C	colza yellow RAL 1021	5	M10	10	39,5	26,3	20	10,9	4,9	6	-	1,3	8	14
B0534.1060510116	C	colza yellow RAL 1021	5	M10x1	10	39,5	26,3	20	10,9	4,9	6	-	1,3	8	14
B0534.106061016	C	colza yellow RAL 1021	6	M10	10	39,5	26,3	20	10,9	4,9	6	-	1,8	8	14
B0534.1060610116	C	colza yellow RAL 1021	6	M10x1	10	39,5	26,3	20	10,9	4,9	6	-	1,8	8	14
B0534.106051216	C	colza yellow RAL 1021	5	M12	12	48,4	31,1	25	12,9	5,7	8	-	1,3	8	15
B0534.1060512116	C	colza yellow RAL 1021	5	M12x1,5	12	48,4	31,1	25	12,9	5,7	8	-	1,3	8	15
B0534.106061216	C	colza yellow RAL 1021	6	M12	12	48,4	31,1	25	12,9	5,7	8	-	1,8	8	15
B0534.1060612116	C	colza yellow RAL 1021	6	M12x1,5	12	48,4	31,1	25	12,9	5,7	8	-	1,8	8	15
B0534.106081216	C	colza yellow RAL 1021	8	M12	12	48,4	31,1	25	12,9	5,7	8	-	2,3	8	15
B0534.1060812116	C	colza yellow RAL 1021	8	M12x1,5	12	48,4	31,1	25	12,9	5,7	8	-	2,3	8	15
B0534.106061616	C	colza yellow RAL 1021	6	M16	16	62,3	41,5	32	16,6	7	10	-	1,8	15	35
B0534.1060616116	C	colza yellow RAL 1021	6	M16x1,5	16	62,3	41,5	32	16,6	7	10	-	1,8	15	35
B0534.106081616	C	colza yellow RAL 1021	8	M16	16	62,3	41,5	32	16,6	7	10	-	2,3	15	35
B0534.1060816116	C	colza yellow RAL 1021	8	M16x1,5	16	62,3	41,5	32	16,6	7	10	-	2,3	15	35
B0534.106101616	C	colza yellow RAL 1021	10	M16	16	62,3	41,5	32	16,6	7	10	-	2,8	15	35
B0534.1061016116	C	colza yellow RAL 1021	10	M16x1,5	16	62,3	41,5	32	16,6	7	10	-	2,8	15	35
B0534.106082016	C	colza yellow RAL 1021	8	M20	20	72,3	51,3	35	20,5	8,5	12	-	2,3	20	60
B0534.1060820116	C	colza yellow RAL 1021	8	M20x1,5	20	72,3	51,3	35	20,5	8,5	12	-	2,3	20	60
B0534.106102016	C	colza yellow RAL 1021	10	M20	20	72,3	51,3	35	20,5	8,5	12	-	2,8	20	60
B0534.1061020116	C	colza yellow RAL 1021	10	M20x1,5	20	72,3	51,3	35	20,5	8,5	12	-	2,8	20	60
B0534.106122016	C	colza yellow RAL 1021	12	M20	20	72,3	51,3	35	20,5	8,5	12	-	3	20	60
B0534.1061220116	C	colza yellow RAL 1021	12	M20x1,5	20	72,3	51,3	35	20,5	8,5	12	-	3	20	60
B0534.106041084	C	traffic red RAL 3020	4	M10	10	39,5	26,3	20	10,9	4,9	6	-	1	8	14
B0534.1060410184	C	traffic red RAL 3020	4	M10x1	10	39,5	26,3	20	10,9	4,9	6	-	1	8	14
B0534.106051084	C	traffic red RAL 3020	5	M10	10	39,5	26,3	20	10,9	4,9	6	-	1,3	8	14
B0534.1060510184	C	traffic red RAL 3020	5	M10x1	10	39,5	26,3	20	10,9	4,9	6	-	1,3	8	14
B0534.106061084	C	traffic red RAL 3020	6	M10	10	39,5	26,3	20	10,9	4,9	6	-	1,8	8	14
B0534.1060610184	C	traffic red RAL 3020	6	M10x1	10	39,5	26,3	20	10,9	4,9	6	-	1,8	8	14
B0534.106051284	C	traffic red RAL 3020	5	M12	12	48,4	31,1	25	12,9	5,7	8	-	1,3	8	15
B0534.1060512184	C	traffic red RAL 3020	5	M12x1,5	12	48,4	31,1	25	12,9	5,7	8	-	1,3	8	15
B0534.106061284	C	traffic red RAL 3020	6	M12	12	48,4	31,1	25	12,9	5,7	8	-	1,8	8	15
B0534.1060612184	C	traffic red RAL 3020	6	M12x1,5	12	48,4	31,1	25	12,9	5,7	8	-	1,8	8	15
B0534.106081284	C	traffic red RAL 3020	8	M12	12	48,4	31,1	25	12,9	5,7	8	-	2,3	8	15
B0534.1060812184	C	traffic red RAL 3020	8	M12x1,5	12	48,4	31,1	25	12,9	5,7	8	-	2,3	8	15
B0534.106061684	C	traffic red RAL 3020	6	M16	16	62,3	41,5	32	16,6	7	10	-	1,8	15	35
B0534.1060616184	C	traffic red RAL 3020	6	M16x1,5	16	62,3	41,5	32	16,6	7	10	-	1,8	15	35
B0534.106081684	C	traffic red RAL 3020	8	M16	16	62,3	41,5	32	16,6	7	10	-	2,3	15	35
B0534.1060816184	C	traffic red RAL 3020	8	M16x1,5	16	62,3	41,5	32	16,6	7	10	-	2,3	15	35
B0534.106101684	C	traffic red RAL 3020	10	M16	16	62,3	41,5	32	16,6	7	10	-	2,8	15	35
B0534.1061016184	C	traffic red RAL 3020	10	M16x1,5	16	62,3	41,5	32	16,6	7	10	-	2,8	15	35
B0534.106082084	C	traffic red RAL 3020	8	M20	20	72,3	51,3	35	20,5	8,5	12	-	2,3	20	60
B0534.1060820184	C	traffic red RAL 3020	8	M20x1,5	20	72,3	51,3	35	20,5	8,5	12	-	2,3	20	60
B0534.106102084	C	traffic red RAL 3020	10	M20	20	72,3	51,3	35	20,5	8,5	12	-	2,8	20	60
B0534.1061020184	C	traffic red RAL 3020	10	M20x1,5	20	72,3	51,3	35	20,5	8,5	12	-	2,8	20	60
B0534.106122084	C	traffic red RAL 3020	12	M20	20	72,3	51,3	35	20,5	8,5	12	-	3	20	60
B0534.1061220184	C	traffic red RAL 3020	12	M20x1,5	20	72,3	51,3	35	20,5	8,5	12	-	3	20	60
B0534.106041086	C	signal green RAL 6032	4	M10	10	39,5	26,3	20	10,9	4,9	6	-	1	8	14
B0534.1060410186	C	signal green RAL 6032	4	M10x1	10	39,5	26,3	20	10,9	4,9	6	-	1	8	14
B0534.106051086	C	signal green RAL 6032	5	M10	10	39,5	26,3	20	10,9	4,9	6	-	1,3	8	14
B0534.1060510186	C	signal green RAL 6032	5	M10x1	10	39,5	26,3	20	10,9	4,9	6	-	1,3	8	14
B0534.106061086	C	signal green RAL 6032	6	M10	10	39,5	26,3	20	10,9	4,9	6	-	1,8	8	14
B0534.1060610186	C	signal green RAL 6032	6	M10x1	10	39,5	26,3	20	10,9	4,9	6	-	1,8	8	14
B0534.106051286	C	signal green RAL 6032	5	M12	12	48,4	31,1	25	12,9	5,7	8	-	1,3	8	15
B0534.1060512186	C	signal green RAL 6032	5	M12x1,5	12	48,4	31,1	25	12,9	5,7	8	-	1,3	8	15
B0534.106061286	C	signal green RAL 6032	6	M12	12	48,4	31,1	25	12,9	5,7	8	-	1,8	8	15
B0534.1060612186	C	signal green RAL 6032	6	M12x1,5	12	48,4	31,1	25	12,9	5,7	8	-	1,8	8	15
B0534.106081286	C	signal green RAL 6032	8	M12	12	48,4	31,1	25	12,9	5,7	8	-	2,3	8	15
B0534.1060812186	C	signal green RAL 6032	8	M12x1,5	12	48,4	31,1	25	12,9	5,7	8	-	2,3	8	15

Cam-action indexing plungers stainless steel

Overview of items

Order No.	Form	Component colour	D	D1	D2	L	L1	L3	B	B1	H	SW	Fx30°	Spring force initial pressure F1 approx. N	Spring force final pressure F2 approx. N
B0534.106061686	C	signal green RAL 6032	6	M16	16	62,3	41,5	32	16,6	7	10	-	1,8	15	35
B0534.1060616186	C	signal green RAL 6032	6	M16x1,5	16	62,3	41,5	32	16,6	7	10	-	1,8	15	35
B0534.106081686	C	signal green RAL 6032	8	M16	16	62,3	41,5	32	16,6	7	10	-	2,3	15	35
B0534.1060816186	C	signal green RAL 6032	8	M16x1,5	16	62,3	41,5	32	16,6	7	10	-	2,3	15	35
B0534.106101686	C	signal green RAL 6032	10	M16	16	62,3	41,5	32	16,6	7	10	-	2,8	15	35
B0534.1061016186	C	signal green RAL 6032	10	M16x1,5	16	62,3	41,5	32	16,6	7	10	-	2,8	15	35
B0534.106082086	C	signal green RAL 6032	8	M20	20	72,3	51,3	35	20,5	8,5	12	-	2,3	20	60
B0534.1060820186	C	signal green RAL 6032	8	M20x1,5	20	72,3	51,3	35	20,5	8,5	12	-	2,3	20	60
B0534.106102086	C	signal green RAL 6032	10	M20	20	72,3	51,3	35	20,5	8,5	12	-	2,8	20	60
B0534.1061020186	C	signal green RAL 6032	10	M20x1,5	20	72,3	51,3	35	20,5	8,5	12	-	2,8	20	60
B0534.106122086	C	signal green RAL 6032	12	M20	20	72,3	51,3	35	20,5	8,5	12	-	3	20	60
B0534.1061220186	C	signal green RAL 6032	12	M20x1,5	20	72,3	51,3	35	20,5	8,5	12	-	3	20	60
B0534.106041087	C	blue RAL5017	4	M10	10	39,5	26,3	20	10,9	4,9	6	-	1	8	14
B0534.1060410187	C	blue RAL5017	4	M10x1	10	39,5	26,3	20	10,9	4,9	6	-	1	8	14
B0534.106051087	C	blue RAL5017	5	M10	10	39,5	26,3	20	10,9	4,9	6	-	1,3	8	14
B0534.1060510187	C	blue RAL5017	5	M10x1	10	39,5	26,3	20	10,9	4,9	6	-	1,3	8	14
B0534.106061087	C	blue RAL5017	6	M10	10	39,5	26,3	20	10,9	4,9	6	-	1,8	8	14
B0534.1060610187	C	blue RAL5017	6	M10x1	10	39,5	26,3	20	10,9	4,9	6	-	1,8	8	14
B0534.106051287	C	blue RAL5017	5	M12	12	48,4	31,1	25	12,9	5,7	8	-	1,3	8	15
B0534.1060512187	C	blue RAL5017	5	M12x1,5	12	48,4	31,1	25	12,9	5,7	8	-	1,3	8	15
B0534.106061287	C	blue RAL5017	6	M12	12	48,4	31,1	25	12,9	5,7	8	-	1,8	8	15
B0534.1060612187	C	blue RAL5017	6	M12x1,5	12	48,4	31,1	25	12,9	5,7	8	-	1,8	8	15
B0534.106081287	C	blue RAL5017	8	M12	12	48,4	31,1	25	12,9	5,7	8	-	2,3	8	15
B0534.1060812187	C	blue RAL5017	8	M12x1,5	12	48,4	31,1	25	12,9	5,7	8	-	2,3	8	15
B0534.106061687	C	blue RAL5017	6	M16	16	62,3	41,5	32	16,6	7	10	-	1,8	15	35
B0534.1060616187	C	blue RAL5017	6	M16x1,5	16	62,3	41,5	32	16,6	7	10	-	1,8	15	35
B0534.106081687	C	blue RAL5017	8	M16	16	62,3	41,5	32	16,6	7	10	-	2,3	15	35
B0534.1060816187	C	blue RAL5017	8	M16x1,5	16	62,3	41,5	32	16,6	7	10	-	2,3	15	35
B0534.106101687	C	blue RAL5017	10	M16	16	62,3	41,5	32	16,6	7	10	-	2,8	15	35
B0534.1061016187	C	blue RAL5017	10	M16x1,5	16	62,3	41,5	32	16,6	7	10	-	2,8	15	35
B0534.106082087	C	blue RAL5017	8	M20	20	72,3	51,3	35	20,5	8,5	12	-	2,3	20	60
B0534.1060820187	C	blue RAL5017	8	M20x1,5	20	72,3	51,3	35	20,5	8,5	12	-	2,3	20	60
B0534.106102087	C	blue RAL5017	10	M20	20	72,3	51,3	35	20,5	8,5	12	-	2,8	20	60
B0534.1061020187	C	blue RAL5017	10	M20x1,5	20	72,3	51,3	35	20,5	8,5	12	-	2,8	20	60
B0534.106122087	C	blue RAL5017	12	M20	20	72,3	51,3	35	20,5	8,5	12	-	3	20	60
B0534.1061220187	C	blue RAL5017	12	M20x1,5	20	72,3	51,3	35	20,5	8,5	12	-	3	20	60
B0534.106041088	C	light grey RAL 7035	4	M10	10	39,5	26,3	20	10,9	4,9	6	-	1	8	14
B0534.1060410188	C	light grey RAL 7035	4	M10x1	10	39,5	26,3	20	10,9	4,9	6	-	1	8	14
B0534.106051088	C	light grey RAL 7035	5	M10	10	39,5	26,3	20	10,9	4,9	6	-	1,3	8	14
B0534.1060510188	C	light grey RAL 7035	5	M10x1	10	39,5	26,3	20	10,9	4,9	6	-	1,3	8	14
B0534.106061088	C	light grey RAL 7035	6	M10	10	39,5	26,3	20	10,9	4,9	6	-	1,8	8	14
B0534.1060610188	C	light grey RAL 7035	6	M10x1	10	39,5	26,3	20	10,9	4,9	6	-	1,8	8	14
B0534.106051288	C	light grey RAL 7035	5	M12	12	48,4	31,1	25	12,9	5,7	8	-	1,3	8	15
B0534.1060512188	C	light grey RAL 7035	5	M12x1,5	12	48,4	31,1	25	12,9	5,7	8	-	1,3	8	15
B0534.106061288	C	light grey RAL 7035	6	M12	12	48,4	31,1	25	12,9	5,7	8	-	1,8	8	15
B0534.1060612188	C	light grey RAL 7035	6	M12x1,5	12	48,4	31,1	25	12,9	5,7	8	-	1,8	8	15
B0534.106081288	C	light grey RAL 7035	8	M12	12	48,4	31,1	25	12,9	5,7	8	-	2,3	8	15
B0534.1060812188	C	light grey RAL 7035	8	M12x1,5	12	48,4	31,1	25	12,9	5,7	8	-	2,3	8	15
B0534.106061688	C	light grey RAL 7035	6	M16	16	62,3	41,5	32	16,6	7	10	-	1,8	15	35
B0534.1060616188	C	light grey RAL 7035	6	M16x1,5	16	62,3	41,5	32	16,6	7	10	-	1,8	15	35
B0534.106081688	C	light grey RAL 7035	8	M16	16	62,3	41,5	32	16,6	7	10	-	2,3	15	35
B0534.1060816188	C	light grey RAL 7035	8	M16x1,5	16	62,3	41,5	32	16,6	7	10	-	2,3	15	35
B0534.106101688	C	light grey RAL 7035	10	M16	16	62,3	41,5	32	16,6	7	10	-	2,8	15	35
B0534.1061016188	C	light grey RAL 7035	10	M16x1,5	16	62,3	41,5	32	16,6	7	10	-	2,8	15	35
B0534.106082088	C	light grey RAL 7035	8	M20	20	72,3	51,3	35	20,5	8,5	12	-	2,3	20	60
B0534.1060820188	C	light grey RAL 7035	8	M20x1,5	20	72,3	51,3	35	20,5	8,5	12	-	2,3	20	60
B0534.106102088	C	light grey RAL 7035	10	M20	20	72,3	51,3	35	20,5	8,5	12	-	2,8	20	60
B0534.1061020188	C	light grey RAL 7035	10	M20x1,5	20	72,3	51,3	35	20,5	8,5	12	-	2,8	20	60
B0534.106122088	C	light grey RAL 7035	12	M20	20	72,3	51,3	35	20,5	8,5	12	-	3	20	60
B0534.1061220188	C	light grey RAL 7035	12	M20x1,5	20	72,3	51,3	35	20,5	8,5	12	-	3	20	60
B0534.1070410	D	black grey RAL 7021	4	M10	10	39,5	26,3	20	10,9	4,9	6	17	1	8	14

Cam-action indexing plungers stainless steel

Overview of items

Order No.	Form	Component colour	D	D1	D2	L	L1	L3	B	B1	H	SW	Fx30°	Spring force initial pressure F1 approx. N	Spring force final pressure F2 approx. N
B0534.10704101	D	black grey RAL 7021	4	M10x1	10	39,5	26,3	20	10,9	4,9	6	17	1	8	14
B0534.1070510	D	black grey RAL 7021	5	M10	10	39,5	26,3	20	10,9	4,9	6	17	1,3	8	14
B0534.10705101	D	black grey RAL 7021	5	M10x1	10	39,5	26,3	20	10,9	4,9	6	17	1,3	8	14
B0534.1070610	D	black grey RAL 7021	6	M10	10	39,5	26,3	20	10,9	4,9	6	17	1,8	8	14
B0534.10706101	D	black grey RAL 7021	6	M10x1	10	39,5	26,3	20	10,9	4,9	6	17	1,8	8	14
B0534.1070512	D	black grey RAL 7021	5	M12	12	48,4	31,1	25	12,9	5,7	8	19	1,3	8	15
B0534.10705121	D	black grey RAL 7021	5	M12x1,5	12	48,4	31,1	25	12,9	5,7	8	19	1,3	8	15
B0534.1070612	D	black grey RAL 7021	6	M12	12	48,4	31,1	25	12,9	5,7	8	19	1,8	8	15
B0534.10706121	D	black grey RAL 7021	6	M12x1,5	12	48,4	31,1	25	12,9	5,7	8	19	1,8	8	15
B0534.1070812	D	black grey RAL 7021	8	M12	12	48,4	31,1	25	12,9	5,7	8	19	2,3	8	15
B0534.10708121	D	black grey RAL 7021	8	M12x1,5	12	48,4	31,1	25	12,9	5,7	8	19	2,3	8	15
B0534.1070616	D	black grey RAL 7021	6	M16	16	62,3	41,5	32	16,6	7	10	24	1,8	15	35
B0534.10706161	D	black grey RAL 7021	6	M16x1,5	16	62,3	41,5	32	16,6	7	10	24	1,8	15	35
B0534.1070816	D	black grey RAL 7021	8	M16	16	62,3	41,5	32	16,6	7	10	24	2,3	15	35
B0534.10708161	D	black grey RAL 7021	8	M16x1,5	16	62,3	41,5	32	16,6	7	10	24	2,3	15	35
B0534.1071016	D	black grey RAL 7021	10	M16	16	62,3	41,5	32	16,6	7	10	24	2,8	15	35
B0534.10710161	D	black grey RAL 7021	10	M16x1,5	16	62,3	41,5	32	16,6	7	10	24	2,8	15	35
B0534.1070820	D	black grey RAL 7021	8	M20	20	72,3	51,3	35	20,5	8,5	12	30	2,3	20	60
B0534.10708201	D	black grey RAL 7021	8	M20x1,5	20	72,3	51,3	35	20,5	8,5	12	30	2,3	20	60
B0534.1071020	D	black grey RAL 7021	10	M20	20	72,3	51,3	35	20,5	8,5	12	30	2,8	20	60
B0534.10710201	D	black grey RAL 7021	10	M20x1,5	20	72,3	51,3	35	20,5	8,5	12	30	2,8	20	60
B0534.1071220	D	black grey RAL 7021	12	M20	20	72,3	51,3	35	20,5	8,5	12	30	3	20	60
B0534.10712201	D	black grey RAL 7021	12	M20x1,5	20	72,3	51,3	35	20,5	8,5	12	30	3	20	60
B0534.10704102	D	orange RAL 2004	4	M10	10	39,5	26,3	20	10,9	4,9	6	17	1	8	14
B0534.107041012	D	orange RAL 2004	4	M10x1	10	39,5	26,3	20	10,9	4,9	6	17	1	8	14
B0534.10705102	D	orange RAL 2004	5	M10	10	39,5	26,3	20	10,9	4,9	6	17	1,3	8	14
B0534.107051012	D	orange RAL 2004	5	M10x1	10	39,5	26,3	20	10,9	4,9	6	17	1,3	8	14
B0534.10706102	D	orange RAL 2004	6	M10	10	39,5	26,3	20	10,9	4,9	6	17	1,8	8	14
B0534.107061012	D	orange RAL 2004	6	M10x1	10	39,5	26,3	20	10,9	4,9	6	17	1,8	8	14
B0534.10705122	D	orange RAL 2004	5	M12	12	48,4	31,1	25	12,9	5,7	8	19	1,3	8	15
B0534.107051212	D	orange RAL 2004	5	M12x1,5	12	48,4	31,1	25	12,9	5,7	8	19	1,3	8	15
B0534.10706122	D	orange RAL 2004	6	M12	12	48,4	31,1	25	12,9	5,7	8	19	1,8	8	15
B0534.107061212	D	orange RAL 2004	6	M12x1,5	12	48,4	31,1	25	12,9	5,7	8	19	1,8	8	15
B0534.10708122	D	orange RAL 2004	8	M12	12	48,4	31,1	25	12,9	5,7	8	19	2,3	8	15
B0534.107081212	D	orange RAL 2004	8	M12x1,5	12	48,4	31,1	25	12,9	5,7	8	19	2,3	8	15
B0534.10706162	D	orange RAL 2004	6	M16	16	62,3	41,5	32	16,6	7	10	24	1,8	15	35
B0534.107061612	D	orange RAL 2004	6	M16x1,5	16	62,3	41,5	32	16,6	7	10	24	1,8	15	35
B0534.10708162	D	orange RAL 2004	8	M16	16	62,3	41,5	32	16,6	7	10	24	2,3	15	35
B0534.107081612	D	orange RAL 2004	8	M16x1,5	16	62,3	41,5	32	16,6	7	10	24	2,3	15	35
B0534.10710162	D	orange RAL 2004	10	M16	16	62,3	41,5	32	16,6	7	10	24	2,8	15	35
B0534.107101612	D	orange RAL 2004	10	M16x1,5	16	62,3	41,5	32	16,6	7	10	24	2,8	15	35
B0534.10708202	D	orange RAL 2004	8	M20	20	72,3	51,3	35	20,5	8,5	12	30	2,3	20	60
B0534.107082012	D	orange RAL 2004	8	M20x1,5	20	72,3	51,3	35	20,5	8,5	12	30	2,3	20	60
B0534.10710202	D	orange RAL 2004	10	M20	20	72,3	51,3	35	20,5	8,5	12	30	2,8	20	60
B0534.107102012	D	orange RAL 2004	10	M20x1,5	20	72,3	51,3	35	20,5	8,5	12	30	2,8	20	60
B0534.10712202	D	orange RAL 2004	12	M20	20	72,3	51,3	35	20,5	8,5	12	30	3	20	60
B0534.107122012	D	orange RAL 2004	12	M20x1,5	20	72,3	51,3	35	20,5	8,5	12	30	3	20	60
B0534.107041016	D	colza yellow RAL 1021	4	M10	10	39,5	26,3	20	10,9	4,9	6	17	1	8	14
B0534.1070410116	D	colza yellow RAL 1021	4	M10x1	10	39,5	26,3	20	10,9	4,9	6	17	1	8	14
B0534.107051016	D	colza yellow RAL 1021	5	M10	10	39,5	26,3	20	10,9	4,9	6	17	1,3	8	14
B0534.1070510116	D	colza yellow RAL 1021	5	M10x1	10	39,5	26,3	20	10,9	4,9	6	17	1,3	8	14
B0534.107061016	D	colza yellow RAL 1021	6	M10	10	39,5	26,3	20	10,9	4,9	6	17	1,8	8	14
B0534.1070610116	D	colza yellow RAL 1021	6	M10x1	10	39,5	26,3	20	10,9	4,9	6	17	1,8	8	14
B0534.107051216	D	colza yellow RAL 1021	5	M12	12	48,4	31,1	25	12,9	5,7	8	19	1,3	8	15
B0534.1070512116	D	colza yellow RAL 1021	5	M12x1,5	12	48,4	31,1	25	12,9	5,7	8	19	1,3	8	15
B0534.107061216	D	colza yellow RAL 1021	6	M12	12	48,4	31,1	25	12,9	5,7	8	19	1,8	8	15
B0534.1070612116	D	colza yellow RAL 1021	6	M12x1,5	12	48,4	31,1	25	12,9	5,7	8	19	1,8	8	15
B0534.107081216	D	colza yellow RAL 1021	8	M12	12	48,4	31,1	25	12,9	5,7	8	19	2,3	8	15
B0534.1070812116	D	colza yellow RAL 1021	8	M12x1,5	12	48,4	31,1	25	12,9	5,7	8	19	2,3	8	15
B0534.107061616	D	colza yellow RAL 1021	6	M16	16	62,3	41,5	32	16,6	7	10	24	1,8	15	35
B0534.1070616116	D	colza yellow RAL 1021	6	M16x1,5	16	62,3	41,5	32	16,6	7	10	24	1,8	15	35

Cam-action indexing plungers stainless steel

Overview of items

Order No.	Form	Component colour	D	D1	D2	L	L1	L3	B	B1	H	SW	Fx30°	Spring force initial pressure F1 approx. N	Spring force final pressure F2 approx. N
B0534.107081616	D	colza yellow RAL 1021	8	M16	16	62,3	41,5	32	16,6	7	10	24	2,3	15	35
B0534.1070816116	D	colza yellow RAL 1021	8	M16x1,5	16	62,3	41,5	32	16,6	7	10	24	2,3	15	35
B0534.107101616	D	colza yellow RAL 1021	10	M16	16	62,3	41,5	32	16,6	7	10	24	2,8	15	35
B0534.1071016116	D	colza yellow RAL 1021	10	M16x1,5	16	62,3	41,5	32	16,6	7	10	24	2,8	15	35
B0534.107082016	D	colza yellow RAL 1021	8	M20	20	72,3	51,3	35	20,5	8,5	12	30	2,3	20	60
B0534.1070820116	D	colza yellow RAL 1021	8	M20x1,5	20	72,3	51,3	35	20,5	8,5	12	30	2,3	20	60
B0534.107102016	D	colza yellow RAL 1021	10	M20	20	72,3	51,3	35	20,5	8,5	12	30	2,8	20	60
B0534.1071020116	D	colza yellow RAL 1021	10	M20x1,5	20	72,3	51,3	35	20,5	8,5	12	30	2,8	20	60
B0534.107122016	D	colza yellow RAL 1021	12	M20	20	72,3	51,3	35	20,5	8,5	12	30	3	20	60
B0534.1071220116	D	colza yellow RAL 1021	12	M20x1,5	20	72,3	51,3	35	20,5	8,5	12	30	3	20	60
B0534.107041084	D	traffic red RAL 3020	4	M10	10	39,5	26,3	20	10,9	4,9	6	17	1	8	14
B0534.1070410184	D	traffic red RAL 3020	4	M10x1	10	39,5	26,3	20	10,9	4,9	6	17	1	8	14
B0534.107051084	D	traffic red RAL 3020	5	M10	10	39,5	26,3	20	10,9	4,9	6	17	1,3	8	14
B0534.1070510184	D	traffic red RAL 3020	5	M10x1	10	39,5	26,3	20	10,9	4,9	6	17	1,3	8	14
B0534.107061084	D	traffic red RAL 3020	6	M10	10	39,5	26,3	20	10,9	4,9	6	17	1,8	8	14
B0534.1070610184	D	traffic red RAL 3020	6	M10x1	10	39,5	26,3	20	10,9	4,9	6	17	1,8	8	14
B0534.107051284	D	traffic red RAL 3020	5	M12	12	48,4	31,1	25	12,9	5,7	8	19	1,3	8	15
B0534.1070512184	D	traffic red RAL 3020	5	M12x1,5	12	48,4	31,1	25	12,9	5,7	8	19	1,3	8	15
B0534.107061284	D	traffic red RAL 3020	6	M12	12	48,4	31,1	25	12,9	5,7	8	19	1,8	8	15
B0534.1070612184	D	traffic red RAL 3020	6	M12x1,5	12	48,4	31,1	25	12,9	5,7	8	19	1,8	8	15
B0534.107081284	D	traffic red RAL 3020	8	M12	12	48,4	31,1	25	12,9	5,7	8	19	2,3	8	15
B0534.1070812184	D	traffic red RAL 3020	8	M12x1,5	12	48,4	31,1	25	12,9	5,7	8	19	2,3	8	15
B0534.107061684	D	traffic red RAL 3020	6	M16	16	62,3	41,5	32	16,6	7	10	24	1,8	15	35
B0534.1070616184	D	traffic red RAL 3020	6	M16x1,5	16	62,3	41,5	32	16,6	7	10	24	1,8	15	35
B0534.107081684	D	traffic red RAL 3020	8	M16	16	62,3	41,5	32	16,6	7	10	24	2,3	15	35
B0534.1070816184	D	traffic red RAL 3020	8	M16x1,5	16	62,3	41,5	32	16,6	7	10	24	2,3	15	35
B0534.107101684	D	traffic red RAL 3020	10	M16	16	62,3	41,5	32	16,6	7	10	24	2,8	15	35
B0534.1071016184	D	traffic red RAL 3020	10	M16x1,5	16	62,3	41,5	32	16,6	7	10	24	2,8	15	35
B0534.107082084	D	traffic red RAL 3020	8	M20	20	72,3	51,3	35	20,5	8,5	12	30	2,3	20	60
B0534.1070820184	D	traffic red RAL 3020	8	M20x1,5	20	72,3	51,3	35	20,5	8,5	12	30	2,3	20	60
B0534.107102084	D	traffic red RAL 3020	10	M20	20	72,3	51,3	35	20,5	8,5	12	30	2,8	20	60
B0534.1071020184	D	traffic red RAL 3020	10	M20x1,5	20	72,3	51,3	35	20,5	8,5	12	30	2,8	20	60
B0534.107122084	D	traffic red RAL 3020	12	M20	20	72,3	51,3	35	20,5	8,5	12	30	3	20	60
B0534.1071220184	D	traffic red RAL 3020	12	M20x1,5	20	72,3	51,3	35	20,5	8,5	12	30	3	20	60
B0534.107041086	D	signal green RAL 6032	4	M10	10	39,5	26,3	20	10,9	4,9	6	17	1	8	14
B0534.1070410186	D	signal green RAL 6032	4	M10x1	10	39,5	26,3	20	10,9	4,9	6	17	1	8	14
B0534.107051086	D	signal green RAL 6032	5	M10	10	39,5	26,3	20	10,9	4,9	6	17	1,3	8	14
B0534.1070510186	D	signal green RAL 6032	5	M10x1	10	39,5	26,3	20	10,9	4,9	6	17	1,3	8	14
B0534.107061086	D	signal green RAL 6032	6	M10	10	39,5	26,3	20	10,9	4,9	6	17	1,8	8	14
B0534.1070610186	D	signal green RAL 6032	6	M10x1	10	39,5	26,3	20	10,9	4,9	6	17	1,8	8	14
B0534.107051286	D	signal green RAL 6032	5	M12	12	48,4	31,1	25	12,9	5,7	8	19	1,3	8	15
B0534.1070512186	D	signal green RAL 6032	5	M12x1,5	12	48,4	31,1	25	12,9	5,7	8	19	1,3	8	15
B0534.107061286	D	signal green RAL 6032	6	M12	12	48,4	31,1	25	12,9	5,7	8	19	1,8	8	15
B0534.1070612186	D	signal green RAL 6032	6	M12x1,5	12	48,4	31,1	25	12,9	5,7	8	19	1,8	8	15
B0534.107081286	D	signal green RAL 6032	8	M12	12	48,4	31,1	25	12,9	5,7	8	19	2,3	8	15
B0534.1070812186	D	signal green RAL 6032	8	M12x1,5	12	48,4	31,1	25	12,9	5,7	8	19	2,3	8	15
B0534.107061686	D	signal green RAL 6032	6	M16	16	62,3	41,5	32	16,6	7	10	24	1,8	15	35
B0534.1070616186	D	signal green RAL 6032	6	M16x1,5	16	62,3	41,5	32	16,6	7	10	24	1,8	15	35
B0534.107081686	D	signal green RAL 6032	8	M16	16	62,3	41,5	32	16,6	7	10	24	2,3	15	35
B0534.1070816186	D	signal green RAL 6032	8	M16x1,5	16	62,3	41,5	32	16,6	7	10	24	2,3	15	35
B0534.107101686	D	signal green RAL 6032	10	M16	16	62,3	41,5	32	16,6	7	10	24	2,8	15	35
B0534.1071016186	D	signal green RAL 6032	10	M16x1,5	16	62,3	41,5	32	16,6	7	10	24	2,8	15	35
B0534.107082086	D	signal green RAL 6032	8	M20	20	72,3	51,3	35	20,5	8,5	12	30	2,3	20	60
B0534.1070820186	D	signal green RAL 6032	8	M20x1,5	20	72,3	51,3	35	20,5	8,5	12	30	2,3	20	60
B0534.107102086	D	signal green RAL 6032	10	M20	20	72,3	51,3	35	20,5	8,5	12	30	2,8	20	60
B0534.1071020186	D	signal green RAL 6032	10	M20x1,5	20	72,3	51,3	35	20,5	8,5	12	30	2,8	20	60
B0534.107122086	D	signal green RAL 6032	12	M20	20	72,3	51,3	35	20,5	8,5	12	30	3	20	60
B0534.1071220186	D	signal green RAL 6032	12	M20x1,5	20	72,3	51,3	35	20,5	8,5	12	30	3	20	60
B0534.107041087	D	blue RAL5017	4	M10	10	39,5	26,3	20	10,9	4,9	6	17	1	8	14
B0534.1070410187	D	blue RAL5017	4	M10x1	10	39,5	26,3	20	10,9	4,9	6	17	1	8	14
B0534.107051087	D	blue RAL5017	5	M10	10	39,5	26,3	20	10,9	4,9	6	17	1,3	8	14

Cam-action indexing plungers stainless steel

Overview of items

Order No.	Form	Component colour	D	D1	D2	L	L1	L3	B	B1	H	SW	Fx30°	Spring force initial pressure F1 approx. N	Spring force final pressure F2 approx. N
B0534.1070510187	D	blue RAL5017	5	M10x1	10	39,5	26,3	20	10,9	4,9	6	17	1,3	8	14
B0534.107061087	D	blue RAL5017	6	M10	10	39,5	26,3	20	10,9	4,9	6	17	1,8	8	14
B0534.1070610187	D	blue RAL5017	6	M10x1	10	39,5	26,3	20	10,9	4,9	6	17	1,8	8	14
B0534.107051287	D	blue RAL5017	5	M12	12	48,4	31,1	25	12,9	5,7	8	19	1,3	8	15
B0534.1070512187	D	blue RAL5017	5	M12x1,5	12	48,4	31,1	25	12,9	5,7	8	19	1,3	8	15
B0534.107061287	D	blue RAL5017	6	M12	12	48,4	31,1	25	12,9	5,7	8	19	1,8	8	15
B0534.1070612187	D	blue RAL5017	6	M12x1,5	12	48,4	31,1	25	12,9	5,7	8	19	1,8	8	15
B0534.107081287	D	blue RAL5017	8	M12	12	48,4	31,1	25	12,9	5,7	8	19	2,3	8	15
B0534.1070812187	D	blue RAL5017	8	M12x1,5	12	48,4	31,1	25	12,9	5,7	8	19	2,3	8	15
B0534.107061687	D	blue RAL5017	6	M16	16	62,3	41,5	32	16,6	7	10	24	1,8	15	35
B0534.1070616187	D	blue RAL5017	6	M16x1,5	16	62,3	41,5	32	16,6	7	10	24	1,8	15	35
B0534.107081687	D	blue RAL5017	8	M16	16	62,3	41,5	32	16,6	7	10	24	2,3	15	35
B0534.1070816187	D	blue RAL5017	8	M16x1,5	16	62,3	41,5	32	16,6	7	10	24	2,3	15	35
B0534.107101687	D	blue RAL5017	10	M16	16	62,3	41,5	32	16,6	7	10	24	2,8	15	35
B0534.1071016187	D	blue RAL5017	10	M16x1,5	16	62,3	41,5	32	16,6	7	10	24	2,8	15	35
B0534.107082087	D	blue RAL5017	8	M20	20	72,3	51,3	35	20,5	8,5	12	30	2,3	20	60
B0534.1070820187	D	blue RAL5017	8	M20x1,5	20	72,3	51,3	35	20,5	8,5	12	30	2,3	20	60
B0534.107102087	D	blue RAL5017	10	M20	20	72,3	51,3	35	20,5	8,5	12	30	2,8	20	60
B0534.1071020187	D	blue RAL5017	10	M20x1,5	20	72,3	51,3	35	20,5	8,5	12	30	2,8	20	60
B0534.107122087	D	blue RAL5017	12	M20	20	72,3	51,3	35	20,5	8,5	12	30	3	20	60
B0534.1071220187	D	blue RAL5017	12	M20x1,5	20	72,3	51,3	35	20,5	8,5	12	30	3	20	60
B0534.107041088	D	light grey RAL 7035	4	M10	10	39,5	26,3	20	10,9	4,9	6	17	1	8	14
B0534.1070410188	D	light grey RAL 7035	4	M10x1	10	39,5	26,3	20	10,9	4,9	6	17	1	8	14
B0534.107051088	D	light grey RAL 7035	5	M10	10	39,5	26,3	20	10,9	4,9	6	17	1,3	8	14
B0534.1070510188	D	light grey RAL 7035	5	M10x1	10	39,5	26,3	20	10,9	4,9	6	17	1,3	8	14
B0534.107061088	D	light grey RAL 7035	6	M10	10	39,5	26,3	20	10,9	4,9	6	17	1,8	8	14
B0534.1070610188	D	light grey RAL 7035	6	M10x1	10	39,5	26,3	20	10,9	4,9	6	17	1,8	8	14
B0534.107051288	D	light grey RAL 7035	5	M12	12	48,4	31,1	25	12,9	5,7	8	19	1,3	8	15
B0534.1070512188	D	light grey RAL 7035	5	M12x1,5	12	48,4	31,1	25	12,9	5,7	8	19	1,3	8	15
B0534.107061288	D	light grey RAL 7035	6	M12	12	48,4	31,1	25	12,9	5,7	8	19	1,8	8	15
B0534.1070612188	D	light grey RAL 7035	6	M12x1,5	12	48,4	31,1	25	12,9	5,7	8	19	1,8	8	15
B0534.107081288	D	light grey RAL 7035	8	M12	12	48,4	31,1	25	12,9	5,7	8	19	2,3	8	15
B0534.1070812188	D	light grey RAL 7035	8	M12x1,5	12	48,4	31,1	25	12,9	5,7	8	19	2,3	8	15
B0534.107061688	D	light grey RAL 7035	6	M16	16	62,3	41,5	32	16,6	7	10	24	1,8	15	35
B0534.1070616188	D	light grey RAL 7035	6	M16x1,5	16	62,3	41,5	32	16,6	7	10	24	1,8	15	35
B0534.107081688	D	light grey RAL 7035	8	M16	16	62,3	41,5	32	16,6	7	10	24	2,3	15	35
B0534.1070816188	D	light grey RAL 7035	8	M16x1,5	16	62,3	41,5	32	16,6	7	10	24	2,3	15	35
B0534.107101688	D	light grey RAL 7035	10	M16	16	62,3	41,5	32	16,6	7	10	24	2,8	15	35
B0534.1071016188	D	light grey RAL 7035	10	M16x1,5	16	62,3	41,5	32	16,6	7	10	24	2,8	15	35
B0534.107082088	D	light grey RAL 7035	8	M20	20	72,3	51,3	35	20,5	8,5	12	30	2,3	20	60
B0534.1070820188	D	light grey RAL 7035	8	M20x1,5	20	72,3	51,3	35	20,5	8,5	12	30	2,3	20	60
B0534.107102088	D	light grey RAL 7035	10	M20	20	72,3	51,3	35	20,5	8,5	12	30	2,8	20	60
B0534.1071020188	D	light grey RAL 7035	10	M20x1,5	20	72,3	51,3	35	20,5	8,5	12	30	2,8	20	60
B0534.107122088	D	light grey RAL 7035	12	M20	20	72,3	51,3	35	20,5	8,5	12	30	3	20	60
B0534.1071220188	D	light grey RAL 7035	12	M20x1,5	20	72,3	51,3	35	20,5	8,5	12	30	3	20	60