


Retaining cables

Item description/product images



Description

Product description:

Retaining cables are used to secure loose components to appliances or fixtures. The different types offer a wide range of attachment and freedom of movement options. A4 stainless steel retaining cables are recommended for applications needing very high corrosion resistance.

Material:

Standard version:

Retaining cable stainless steel 1.4301.

Clip and crimp terminal aluminium or stainless steel 1.4301.

Strap stainless steel 1.4301.

Stainless steel version A4:

Retaining cable stainless steel 1.4401.

Clip and crimp terminal stainless steel 1.4401.

Strap stainless steel 1.4401.

Version:

Retaining cable bright or with transparent or black plastic sleeve.

Strap bright or black.

Application:

For securing loose tools or other components to appliances and equipment.

Temperature range:

max. 80°C.

Accessory:

With the retaining cable and key ring B0090 the ball lock pins B0068, B0070, B0072, B0073, B0074, B0075, B0076, B0077, B0078, B0079, B0080, B0081, can be secured so that they cannot be lost.

Drawing reference:

Form A: with eye and crimp terminal

Form B: with crimp terminal


Form C: with eye

Form D: with eye and strap

Form E: with strap

Retaining cables

Drawings



Overview of items

Retaining cables

Order No.	Form	Form definition	Steel key	Surface finish body	Main colour	Component material	L	D=rope diameter	D1
B0092.01001	A	with eye and crimp terminal	1.4301	bright	-	aluminium	100	1,6	9,3
B0092.01501	A	with eye and crimp terminal	1.4301	bright	-	aluminium	150	1,6	9,3
B0092.02001	A	with eye and crimp terminal	1.4301	bright	-	aluminium	200	1,6	9,3
B0092.03001	A	with eye and crimp terminal	1.4301	bright	-	aluminium	300	1,6	9,3
B0092.05001	A	with eye and crimp terminal	1.4301	bright	-	aluminium	500	1,6	9,3
B0092.0100	A	with eye and crimp terminal	1.4301	plastic cover	transparent	aluminium	100	1,6	11,5
B0092.0150	A	with eye and crimp terminal	1.4301	plastic cover	transparent	aluminium	150	1,6	11,5
B0092.0200	A	with eye and crimp terminal	1.4301	plastic cover	transparent	aluminium	200	1,6	11,5
B0092.0300	A	with eye and crimp terminal	1.4301	plastic cover	transparent	aluminium	300	1,6	11,5
B0092.0500	A	with eye and crimp terminal	1.4301	plastic cover	transparent	aluminium	500	1,6	11,5
B0092.01002	A	with eye and crimp terminal	1.4301	plastic cover	transparent	stainless steel	100	1,6	9,3
B0092.01502	A	with eye and crimp terminal	1.4301	plastic cover	transparent	stainless steel	150	1,6	9,3
B0092.02002	A	with eye and crimp terminal	1.4301	plastic cover	transparent	stainless steel	200	1,6	9,3
B0092.03002	A	with eye and crimp terminal	1.4301	plastic cover	transparent	stainless steel	300	1,6	9,3

Retaining cables

Overview of items

Order No.	Form	Form definition	Steel key	Surface finish body	Main colour	Component material	L	D=rope diameter	D1
B0092.05002	A	with eye and crimp terminal	1.4301	plastic cover	transparent	stainless steel	500	1,6	9,3
B0092.01004	A	with eye and crimp terminal	1.4401	plastic cover	transparent	stainless steel	100	1,6	9,3
B0092.01504	A	with eye and crimp terminal	1.4401	plastic cover	transparent	stainless steel	150	1,6	9,3
B0092.02004	A	with eye and crimp terminal	1.4401	plastic cover	transparent	stainless steel	200	1,6	9,3
B0092.03004	A	with eye and crimp terminal	1.4401	plastic cover	transparent	stainless steel	300	1,6	9,3
B0092.05004	A	with eye and crimp terminal	1.4401	plastic cover	transparent	stainless steel	500	1,6	9,3
B0092.01003	A	with eye and crimp terminal	1.4301	plastic cover	black	stainless steel	100	1,6	9,3
B0092.01503	A	with eye and crimp terminal	1.4301	plastic cover	black	stainless steel	150	1,6	9,3
B0092.02003	A	with eye and crimp terminal	1.4301	plastic cover	black	stainless steel	200	1,6	9,3
B0092.03003	A	with eye and crimp terminal	1.4301	plastic cover	black	stainless steel	300	1,6	9,3
B0092.05003	A	with eye and crimp terminal	1.4301	plastic cover	black	stainless steel	500	1,6	9,3
B0092.11001	B	with crimp terminal	1.4301	bright	-	aluminium	100	1,6	9,3
B0092.11501	B	with crimp terminal	1.4301	bright	-	aluminium	150	1,6	9,3
B0092.12001	B	with crimp terminal	1.4301	bright	-	aluminium	200	1,6	9,3
B0092.13001	B	with crimp terminal	1.4301	bright	-	aluminium	300	1,6	9,3
B0092.15001	B	with crimp terminal	1.4301	bright	-	aluminium	500	1,6	9,3
B0092.1100	B	with crimp terminal	1.4301	plastic cover	transparent	aluminium	100	1,6	11,5
B0092.1150	B	with crimp terminal	1.4301	plastic cover	transparent	aluminium	150	1,6	11,5
B0092.1200	B	with crimp terminal	1.4301	plastic cover	transparent	aluminium	200	1,6	11,5
B0092.1300	B	with crimp terminal	1.4301	plastic cover	transparent	aluminium	300	1,6	11,5
B0092.1500	B	with crimp terminal	1.4301	plastic cover	transparent	aluminium	500	1,6	11,5
B0092.11002	B	with crimp terminal	1.4301	plastic cover	transparent	stainless steel	100	1,6	9,3
B0092.11502	B	with crimp terminal	1.4301	plastic cover	transparent	stainless steel	150	1,6	9,3
B0092.12002	B	with crimp terminal	1.4301	plastic cover	transparent	stainless steel	200	1,6	9,3
B0092.13002	B	with crimp terminal	1.4301	plastic cover	transparent	stainless steel	300	1,6	9,3
B0092.15002	B	with crimp terminal	1.4301	plastic cover	transparent	stainless steel	500	1,6	9,3
B0092.11004	B	with crimp terminal	1.4401	plastic cover	transparent	stainless steel	100	1,6	9,3
B0092.11504	B	with crimp terminal	1.4401	plastic cover	transparent	stainless steel	150	1,6	9,3
B0092.12004	B	with crimp terminal	1.4401	plastic cover	transparent	stainless steel	200	1,6	9,3
B0092.13004	B	with crimp terminal	1.4401	plastic cover	transparent	stainless steel	300	1,6	9,3
B0092.15004	B	with crimp terminal	1.4401	plastic cover	transparent	stainless steel	500	1,6	9,3
B0092.11003	B	with crimp terminal	1.4301	plastic cover	black	stainless steel	100	1,6	9,3
B0092.11503	B	with crimp terminal	1.4301	plastic cover	black	stainless steel	150	1,6	9,3
B0092.12003	B	with crimp terminal	1.4301	plastic cover	black	stainless steel	200	1,6	9,3
B0092.13003	B	with crimp terminal	1.4301	plastic cover	black	stainless steel	300	1,6	9,3
B0092.15003	B	with crimp terminal	1.4301	plastic cover	black	stainless steel	500	1,6	9,3
B0092.21001	C	with eye	1.4301	bright	-	aluminium	100	1,6	-
B0092.21501	C	with eye	1.4301	bright	-	aluminium	150	1,6	-
B0092.22001	C	with eye	1.4301	bright	-	aluminium	200	1,6	-
B0092.23001	C	with eye	1.4301	bright	-	aluminium	300	1,6	-
B0092.25001	C	with eye	1.4301	bright	-	aluminium	500	1,6	-
B0092.2100	C	with eye	1.4301	plastic cover	transparent	aluminium	100	1,6	-
B0092.2150	C	with eye	1.4301	plastic cover	transparent	aluminium	150	1,6	-
B0092.2200	C	with eye	1.4301	plastic cover	transparent	aluminium	200	1,6	-
B0092.2300	C	with eye	1.4301	plastic cover	transparent	aluminium	300	1,6	-
B0092.2500	C	with eye	1.4301	plastic cover	transparent	aluminium	500	1,6	-
B0092.21002	C	with eye	1.4301	plastic cover	transparent	stainless steel	100	1,6	-
B0092.21502	C	with eye	1.4301	plastic cover	transparent	stainless steel	150	1,6	-
B0092.22002	C	with eye	1.4301	plastic cover	transparent	stainless steel	200	1,6	-
B0092.23002	C	with eye	1.4301	plastic cover	transparent	stainless steel	300	1,6	-
B0092.25002	C	with eye	1.4301	plastic cover	transparent	stainless steel	500	1,6	-
B0092.21004	C	with eye	1.4401	plastic cover	transparent	stainless steel	100	1,6	-
B0092.21504	C	with eye	1.4401	plastic cover	transparent	stainless steel	150	1,6	-
B0092.22004	C	with eye	1.4401	plastic cover	transparent	stainless steel	200	1,6	-
B0092.23004	C	with eye	1.4401	plastic cover	transparent	stainless steel	300	1,6	-
B0092.25004	C	with eye	1.4401	plastic cover	transparent	stainless steel	500	1,6	-
B0092.21003	C	with eye	1.4301	plastic cover	black	stainless steel	100	1,6	-
B0092.21503	C	with eye	1.4301	plastic cover	black	stainless steel	150	1,6	-
B0092.22003	C	with eye	1.4301	plastic cover	black	stainless steel	200	1,6	-
B0092.23003	C	with eye	1.4301	plastic cover	black	stainless steel	300	1,6	-
B0092.25003	C	with eye	1.4301	plastic cover	black	stainless steel	500	1,6	-
B0092.31001	D	with eye and strap	1.4301	bright	-	aluminium	100	1,6	-

Retaining cables

Overview of items

Order No.	Form	Form definition	Steel key	Surface finish body	Main colour	Component material	L	D=rope diameter	D1
B0092.31501	D	with eye and strap	1.4301	bright	-	aluminium	150	1,6	-
B0092.32001	D	with eye and strap	1.4301	bright	-	aluminium	200	1,6	-
B0092.33001	D	with eye and strap	1.4301	bright	-	aluminium	300	1,6	-
B0092.35001	D	with eye and strap	1.4301	bright	-	aluminium	500	1,6	-
B0092.31002	D	with eye and strap	1.4301	plastic cover	transparent	stainless steel	100	1,6	-
B0092.31502	D	with eye and strap	1.4301	plastic cover	transparent	stainless steel	150	1,6	-
B0092.32002	D	with eye and strap	1.4301	plastic cover	transparent	stainless steel	200	1,6	-
B0092.33002	D	with eye and strap	1.4301	plastic cover	transparent	stainless steel	300	1,6	-
B0092.35002	D	with eye and strap	1.4301	plastic cover	transparent	stainless steel	500	1,6	-
B0092.31004	D	with eye and strap	1.4401	plastic cover	transparent	stainless steel	100	1,6	-
B0092.31504	D	with eye and strap	1.4401	plastic cover	transparent	stainless steel	150	1,6	-
B0092.32004	D	with eye and strap	1.4401	plastic cover	transparent	stainless steel	200	1,6	-
B0092.33004	D	with eye and strap	1.4401	plastic cover	transparent	stainless steel	300	1,6	-
B0092.35004	D	with eye and strap	1.4401	plastic cover	transparent	stainless steel	500	1,6	-
B0092.31003	D	with eye and strap	1.4301	plastic cover	black	stainless steel	100	1,6	-
B0092.31503	D	with eye and strap	1.4301	plastic cover	black	stainless steel	150	1,6	-
B0092.32003	D	with eye and strap	1.4301	plastic cover	black	stainless steel	200	1,6	-
B0092.33003	D	with eye and strap	1.4301	plastic cover	black	stainless steel	300	1,6	-
B0092.35003	D	with eye and strap	1.4301	plastic cover	black	stainless steel	500	1,6	-
B0092.41001	E	with strap	1.4301	bright	-	aluminium	100	1,6	-
B0092.41501	E	with strap	1.4301	bright	-	aluminium	150	1,6	-
B0092.42001	E	with strap	1.4301	bright	-	aluminium	200	1,6	-
B0092.43001	E	with strap	1.4301	bright	-	aluminium	300	1,6	-
B0092.45001	E	with strap	1.4301	bright	-	aluminium	500	1,6	-
B0092.41002	E	with strap	1.4301	plastic cover	transparent	stainless steel	100	1,6	-
B0092.41502	E	with strap	1.4301	plastic cover	transparent	stainless steel	150	1,6	-
B0092.42002	E	with strap	1.4301	plastic cover	transparent	stainless steel	200	1,6	-
B0092.43002	E	with strap	1.4301	plastic cover	transparent	stainless steel	300	1,6	-
B0092.45002	E	with strap	1.4301	plastic cover	transparent	stainless steel	500	1,6	-
B0092.41004	E	with strap	1.4401	plastic cover	transparent	stainless steel	100	1,6	-
B0092.41504	E	with strap	1.4401	plastic cover	transparent	stainless steel	150	1,6	-
B0092.42004	E	with strap	1.4401	plastic cover	transparent	stainless steel	200	1,6	-
B0092.43004	E	with strap	1.4401	plastic cover	transparent	stainless steel	300	1,6	-
B0092.45004	E	with strap	1.4401	plastic cover	transparent	stainless steel	500	1,6	-
B0092.41003	E	with strap	1.4301	plastic cover	black	stainless steel	100	1,6	-
B0092.41503	E	with strap	1.4301	plastic cover	black	stainless steel	150	1,6	-
B0092.42003	E	with strap	1.4301	plastic cover	black	stainless steel	200	1,6	-
B0092.43003	E	with strap	1.4301	plastic cover	black	stainless steel	300	1,6	-
B0092.45003	E	with strap	1.4301	plastic cover	black	stainless steel	500	1,6	-