


Hexagon nuts thin DIN 439 / ISO 4035

Item description/product images



Description

Material:

Steel, stainless steel A2 or stainless steel A4.

Version:

Steel grade 04, electro zinc-plated or black oxidised.

Stainless steel A2, bright.


Stainless steel A4, bright.

Note:

These hexagon nuts are used in screw connections exposed to limited loads, e.g. as a locknut for clevis joints or rod ends.

The maximum nut height H max. is shown in the table.

Drawings



Overview of items

Hexagon nuts thin DIN 439 / ISO 4035

Order No.	Main material	Surface finish body	Version 2	D	E	H	SW	DIN	ISO
B0100.006	steel	galvanised	RH thread	M6X0,75	11,05	3,2	10	DIN 439	-
B0100.008	steel	galvanised	RH thread	M8X1	14,38	4	13	DIN 439	-
B0100.05	steel	galvanised	RH thread	M5	8,79	2,7	8	DIN 439	-
B0100.06	steel	galvanised	RH thread	M6	11,05	3,2	10	DIN 439	-
B0100.061	steel	galvanised	LH thread	M6	11,05	3,2	10	DIN 439	-
B0100.08	steel	galvanised	RH thread	M8	14,38	4	13	DIN 439	-
B0100.081	steel	galvanised	LH thread	M8	14,38	4	13	DIN 439	-
B0100.10	steel	galvanised	RH thread	M10	18,9	5	17	DIN 439	-
B0100.101	steel	galvanised	LH thread	M10	18,9	5	17	DIN 439	-
B0100.103	steel	galvanised	RH thread	M10X1	18,9	5	17	DIN 439	-
B0100.1031	steel	galvanised	LH thread	M10X1	18,9	5	17	DIN 439	-
B0100.104	steel	galvanised	RH thread	M10X1,25	18,9	5	17	DIN 439	-
B0100.1041	steel	galvanised	LH thread	M10X1,25	18,9	5	17	DIN 439	-
B0100.12	steel	galvanised	RH thread	M12	21,1	6	19	DIN 439	-
B0100.121	steel	galvanised	LH thread	M12	21,1	6	19	DIN 439	-
B0100.123	steel	galvanised	RH thread	M12X1,25	21,1	6	19	DIN 439	-
B0100.1231	steel	galvanised	LH thread	M12X1,25	21,1	6	19	DIN 439	-
B0100.124	steel	galvanised	RH thread	M12X1,5	21,1	6	19	DIN 439	-
B0100.1241	steel	galvanised	LH thread	M12X1,5	21,1	6	19	DIN 439	-
B0100.16	steel	galvanised	RH thread	M16	26,76	8	24	DIN 439	-
B0100.161	steel	galvanised	LH thread	M16	26,76	8	24	DIN 439	-
B0100.163	steel	galvanised	RH thread	M16x1,5	26,76	8	24	DIN 439	-
B0100.183	steel	galvanised	RH thread	M18x1,5	29,56	9	27	DIN 439	-
B0100.203	steel	galvanised	RH thread	M20X1,5	32,95	10	30	DIN 439	-
B0100.2031	steel	galvanised	LH thread	M20X1,5	32,95	10	30	DIN 439	-

Hexagon nuts thin DIN 439 / ISO 4035

Overview of items

Order No.	Main material	Surface finish body	Version 2	D	E	H	SW	DIN	ISO
B0100.223	steel	galvanised	RH thread	M22x1,5	36,9	10	32	DIN 439	-
B0100.2231	steel	galvanised	LH thread	M22x1,5	36,9	10	32	DIN 439	-
B0100.14	steel	galvanised	RH thread	M14	24,49	7	22	DIN 439	-
B0100.20	steel	galvanised	RH thread	M20	32,95	10	30	DIN 439	-
B0100.24	steel	galvanised	RH thread	M24	39,55	12	36	DIN 439	-
B0100.30	steel	galvanised	RH thread	M30	50,85	15	46	DIN 439	-
B0100.205	steel	black oxidised	RH thread	M5	8,79	2,7	8	DIN 439	-
B0100.206	steel	black oxidised	RH thread	M6	11,05	3,2	10	DIN 439	-
B0100.2063	steel	black oxidised	RH thread	M6X0,75	11,05	3,2	10	DIN 439	-
B0100.208	steel	black oxidised	RH thread	M8	14,38	4	13	DIN 439	-
B0100.2083	steel	black oxidised	RH thread	M8X1	14,38	4	13	DIN 439	-
B0100.210	steel	black oxidised	RH thread	M10	18,9	5	17	DIN 439	-
B0100.2103	steel	black oxidised	RH thread	M10X1	18,9	5	17	DIN 439	-
B0100.212	steel	black oxidised	RH thread	M12	21,1	6	19	DIN 439	-
B0100.2124	steel	black oxidised	RH thread	M12X1,5	21,1	6	19	DIN 439	-
B0100.216	steel	black oxidised	RH thread	M16	26,76	8	24	DIN 439	-
B0100.2163	steel	black oxidised	RH thread	M16x1,5	26,76	8	24	DIN 439	-
B0100.2203	steel	black oxidised	RH thread	M20X1,5	32,95	10	30	DIN 439	-
B0100.2243	steel	black oxidised	RH thread	M24x2	39,6	12	36	DIN 439	-
B0100.105	stainless steel A2	bright	RH thread	M5	8,79	2,7	8	DIN 439	-
B0100.106	stainless steel A2	bright	RH thread	M6	11,05	3,2	10	DIN 439	-
B0100.1061	stainless steel A2	bright	LH thread	M6	11,05	3,2	10	DIN 439	-
B0100.1062	stainless steel A2	bright	RH thread	M6X0,75	11,05	3,2	10	DIN 439	-
B0100.108	stainless steel A2	bright	RH thread	M8	14,38	4	13	DIN 439	-
B0100.1081	stainless steel A2	bright	LH thread	M8	14,38	4	13	DIN 439	-
B0100.1083	stainless steel A2	bright	RH thread	M8X1	14,38	4	13	DIN 439	-
B0100.110	stainless steel A2	bright	RH thread	M10	18,9	5	17	DIN 439	-
B0100.1101	stainless steel A2	bright	LH thread	M10	18,9	5	17	DIN 439	-
B0100.1103	stainless steel A2	bright	RH thread	M10X1	18,9	5	17	DIN 439	-
B0100.11031	stainless steel A2	bright	LH thread	M10X1	18,9	5	17	DIN 439	-
B0100.1104	stainless steel A2	bright	RH thread	M10X1,25	18,9	5	17	DIN 439	-
B0100.11041	stainless steel A2	bright	LH thread	M10X1,25	18,9	5	17	DIN 439	-
B0100.112	stainless steel A2	bright	RH thread	M12	21,1	6	19	DIN 439	-
B0100.1121	stainless steel A2	bright	LH thread	M12	21,1	6	19	DIN 439	-
B0100.1123	stainless steel A2	bright	RH thread	M12X1,25	21,1	6	19	DIN 439	-
B0100.11231	stainless steel A2	bright	LH thread	M12X1,25	21,1	6	19	DIN 439	-
B0100.1124	stainless steel A2	bright	RH thread	M12X1,5	21,1	6	19	DIN 439	-
B0100.116	stainless steel A2	bright	RH thread	M16	26,76	8	24	DIN 439	-
B0100.1161	stainless steel A2	bright	LH thread	M16	26,76	8	24	DIN 439	-
B0100.1163	stainless steel A2	bright	RH thread	M16x1,5	26,76	8	24	DIN 439	-
B0100.120	stainless steel A2	bright	RH thread	M20	32,95	10	30	DIN 439	-
B0100.1203	stainless steel A2	bright	RH thread	M20X1,5	32,95	10	30	DIN 439	-
B0100.12031	stainless steel A2	bright	LH thread	M20X1,5	32,95	10	30	DIN 439	-
B0100.1223	stainless steel A2	bright	RH thread	M22x1,5	36,9	10	32	DIN 439	-
B0100.12231	stainless steel A2	bright	LH thread	M22x1,5	36,9	10	32	DIN 439	-
B0100.1243	stainless steel A2	bright	RH thread	M24x2	39,6	12	36	DIN 439	-
B0100.114	stainless steel A2	bright	RH thread	M14	24,49	7	22	DIN 439	-
B0100.1244	stainless steel A2	bright	RH thread	M24	39,55	12	36	DIN 439	-
B0100.130	stainless steel A2	bright	RH thread	M30	50,85	15	46	DIN 439	-
B0100.1303	stainless steel A2	bright	RH thread	M30X2	50,85	15	46	DIN 439	-
B0100.605	stainless steel A4	bright	RH thread	M5	8,79	2,7	8	DIN 439	-
B0100.606	stainless steel A4	bright	RH thread	M6	11,05	3,2	10	DIN 439	-
B0100.608	stainless steel A4	bright	RH thread	M8	14,38	4	13	DIN 439	-
B0100.610	stainless steel A4	bright	RH thread	M10	18,9	5	17	DIN 439	-
B0100.6103	stainless steel A4	bright	RH thread	M10X1	18,9	5	17	DIN 439	-
B0100.6104	stainless steel A4	bright	RH thread	M10X1,25	18,9	5	17	DIN 439	-
B0100.612	stainless steel A4	bright	RH thread	M12	21,1	6	19	DIN 439	-
B0100.6123	stainless steel A4	bright	RH thread	M12X1,25	21,1	6	19	DIN 439	-
B0100.6124	stainless steel A4	bright	RH thread	M12X1,5	21,1	6	19	DIN 439	-
B0100.614	stainless steel A4	bright	RH thread	M14	24,49	7	22	DIN 439	-
B0100.616	stainless steel A4	bright	RH thread	M16	26,76	8	24	DIN 439	-
B0100.6163	stainless steel A4	bright	RH thread	M16x1,5	26,76	8	24	DIN 439	-

Hexagon nuts thin DIN 439 / ISO 4035

Overview of items

Order No.	Main material	Surface finish body	Version 2	D	E	H	SW	DIN	ISO
B0100.620	stainless steel A4	bright	RH thread	M20	32,95	10	30	DIN 439	-
B0100.6203	stainless steel A4	bright	RH thread	M20x1,5	32,95	10	30	DIN 439	-
B0100.6223	stainless steel A4	bright	RH thread	M22x1,5	36,9	10	32	DIN 439	-
B0100.6244	stainless steel A4	bright	RH thread	M24	39,55	12	36	DIN 439	-
B0100.6243	stainless steel A4	bright	RH thread	M24x2	39,6	12	36	DIN 439	-