

T-grip thermoplastic

Item description/product images



Description

Material:

T-grip reinforced thermoplastic.

Bushes and threaded pins steel or stainless steel 1.4305.

Version:

Grip black grey RAL 7021 or red similar to RAL 3020.


Steel parts trivalent blue passivated.

Stainless steel bright.

On request:

Other screw sizes, screw lengths and colours.

Drawings



Overview of items

T-grip thermoplastic

Order No.	Form	Component material	Steel key	Main colour	Surface finish component	A	B	D	D3	H	H1	L	T
B0588.5505	K	steel	1.0715	black grey RAL 7021	blue-passivated	55	12,6	M5	16	33	21,3	-	10
B0588.6506	K	steel	1.0715	black grey RAL 7021	blue-passivated	65	14,6	M6	18	37	22,9	-	12
B0588.6508	K	steel	1.0715	black grey RAL 7021	blue-passivated	65	14,6	M8	18	37	22,9	-	14
B0588.7508	K	steel	1.0715	black grey RAL 7021	blue-passivated	75	18,4	M8	22	41	25,2	-	14
B0588.7510	K	steel	1.0715	black grey RAL 7021	blue-passivated	75	18,4	M10	22	41	25,2	-	18
B0588.8510	K	steel	1.0715	black grey RAL 7021	blue-passivated	85	19,6	M10	24	45	26,5	-	18
B0588.8512	K	steel	1.0715	black grey RAL 7021	blue-passivated	85	19,6	M12	24	45	26,5	-	22
B0588.05505	K	stainless steel	1.4305	black grey RAL 7021	bright	55	12,6	M5	16	33	21,3	-	10
B0588.06506	K	stainless steel	1.4305	black grey RAL 7021	bright	65	14,6	M6	18	37	22,9	-	12
B0588.06508	K	stainless steel	1.4305	black grey RAL 7021	bright	65	14,6	M8	18	37	22,9	-	14
B0588.07508	K	stainless steel	1.4305	black grey RAL 7021	bright	75	18,4	M8	22	41	25,2	-	14

T-grip thermoplastic

Overview of items

Order No.	Form	Component material	Steel key	Main colour	Surface finish component	A	B	D	D3	H	H1	L	T
B0588.07510	K	stainless steel	1.4305	black grey RAL 7021	bright	75	18,4	M10	22	41	25,2	-	18
B0588.08510	K	stainless steel	1.4305	black grey RAL 7021	bright	85	19,6	M10	24	45	26,5	-	18
B0588.08512	K	stainless steel	1.4305	black grey RAL 7021	bright	85	19,6	M12	24	45	26,5	-	22
B0588.65505	K	steel	1.0715	traffic red RAL 3020	blue-passivated	55	12,6	M5	16	33	21,3	-	10
B0588.66506	K	steel	1.0715	traffic red RAL 3020	blue-passivated	65	14,6	M6	18	37	22,9	-	12
B0588.66508	K	steel	1.0715	traffic red RAL 3020	blue-passivated	65	14,6	M8	18	37	22,9	-	14
B0588.67508	K	steel	1.0715	traffic red RAL 3020	blue-passivated	75	18,4	M8	22	41	25,2	-	14
B0588.67510	K	steel	1.0715	traffic red RAL 3020	blue-passivated	75	18,4	M10	22	41	25,2	-	18
B0588.68510	K	steel	1.0715	traffic red RAL 3020	blue-passivated	85	19,6	M10	24	45	26,5	-	18
B0588.68512	K	steel	1.0715	traffic red RAL 3020	blue-passivated	85	19,6	M12	24	45	26,5	-	22
B0588.065505	K	stainless steel	1.4305	traffic red RAL 3020	bright	55	12,6	M5	16	33	21,3	-	10
B0588.066506	K	stainless steel	1.4305	traffic red RAL 3020	bright	65	14,6	M6	18	37	22,9	-	12
B0588.066508	K	stainless steel	1.4305	traffic red RAL 3020	bright	65	14,6	M8	18	37	22,9	-	14
B0588.067508	K	stainless steel	1.4305	traffic red RAL 3020	bright	75	18,4	M8	22	41	25,2	-	14
B0588.067510	K	stainless steel	1.4305	traffic red RAL 3020	bright	75	18,4	M10	22	41	25,2	-	18
B0588.068510	K	stainless steel	1.4305	traffic red RAL 3020	bright	85	19,6	M10	24	45	26,5	-	18
B0588.068512	K	stainless steel	1.4305	traffic red RAL 3020	bright	85	19,6	M12	24	45	26,5	-	22
B0588.5505X15	L	steel	1.0715	black grey RAL 7021	blue-passivated	55	12,6	M5	16	33	21,3	15	-
B0588.5505X20	L	steel	1.0715	black grey RAL 7021	blue-passivated	55	12,6	M5	16	33	21,3	20	-
B0588.6506X20	L	steel	1.0715	black grey RAL 7021	blue-passivated	65	14,6	M6	18	37	22,9	20	-
B0588.6506X25	L	steel	1.0715	black grey RAL 7021	blue-passivated	65	14,6	M6	18	37	22,9	25	-
B0588.6506X30	L	steel	1.0715	black grey RAL 7021	blue-passivated	65	14,6	M6	18	37	22,9	30	-
B0588.6506X40	L	steel	1.0715	black grey RAL 7021	blue-passivated	65	14,6	M6	18	37	22,9	40	-
B0588.6508X20	L	steel	1.0715	black grey RAL 7021	blue-passivated	65	14,6	M8	18	37	22,9	20	-
B0588.6508X25	L	steel	1.0715	black grey RAL 7021	blue-passivated	65	14,6	M8	18	37	22,9	25	-
B0588.6508X30	L	steel	1.0715	black grey RAL 7021	blue-passivated	65	14,6	M8	18	37	22,9	30	-
B0588.6508X40	L	steel	1.0715	black grey RAL 7021	blue-passivated	65	14,6	M8	18	37	22,9	40	-
B0588.7508X20	L	steel	1.0715	black grey RAL 7021	blue-passivated	75	18,4	M8	22	41	25,2	20	-
B0588.7508X25	L	steel	1.0715	black grey RAL 7021	blue-passivated	75	18,4	M8	22	41	25,2	25	-
B0588.7508X30	L	steel	1.0715	black grey RAL 7021	blue-passivated	75	18,4	M8	22	41	25,2	30	-
B0588.7508X40	L	steel	1.0715	black grey RAL 7021	blue-passivated	75	18,4	M8	22	41	25,2	40	-
B0588.7510X20	L	steel	1.0715	black grey RAL 7021	blue-passivated	75	18,4	M10	22	41	25,2	20	-
B0588.7510X30	L	steel	1.0715	black grey RAL 7021	blue-passivated	75	18,4	M10	22	41	25,2	30	-
B0588.7510X40	L	steel	1.0715	black grey RAL 7021	blue-passivated	75	18,4	M10	22	41	25,2	40	-
B0588.7510X50	L	steel	1.0715	black grey RAL 7021	blue-passivated	75	18,4	M10	22	41	25,2	50	-
B0588.8510X30	L	steel	1.0715	black grey RAL 7021	blue-passivated	85	19,6	M10	24	45	26,5	30	-
B0588.8510X40	L	steel	1.0715	black grey RAL 7021	blue-passivated	85	19,6	M10	24	45	26,5	40	-
B0588.8510X50	L	steel	1.0715	black grey RAL 7021	blue-passivated	85	19,6	M10	24	45	26,5	50	-
B0588.8512X30	L	steel	1.0715	black grey RAL 7021	blue-passivated	85	19,6	M12	24	45	26,5	30	-
B0588.8512X40	L	steel	1.0715	black grey RAL 7021	blue-passivated	85	19,6	M12	24	45	26,5	40	-
B0588.8512X50	L	steel	1.0715	black grey RAL 7021	blue-passivated	85	19,6	M12	24	45	26,5	50	-
B0588.05505X15	L	stainless steel	1.4305	black grey RAL 7021	bright	55	12,6	M5	16	33	21,3	15	-
B0588.05505X20	L	stainless steel	1.4305	black grey RAL 7021	bright	55	12,6	M5	16	33	21,3	20	-
B0588.06506X20	L	stainless steel	1.4305	black grey RAL 7021	bright	65	14,6	M6	18	37	22,9	20	-
B0588.06506X25	L	stainless steel	1.4305	black grey RAL 7021	bright	65	14,6	M6	18	37	22,9	25	-
B0588.06506X30	L	stainless steel	1.4305	black grey RAL 7021	bright	65	14,6	M6	18	37	22,9	30	-
B0588.06506X40	L	stainless steel	1.4305	black grey RAL 7021	bright	65	14,6	M6	18	37	22,9	40	-
B0588.06508X20	L	stainless steel	1.4305	black grey RAL 7021	bright	65	14,6	M8	18	37	22,9	20	-
B0588.06508X25	L	stainless steel	1.4305	black grey RAL 7021	bright	65	14,6	M8	18	37	22,9	25	-
B0588.06508X30	L	stainless steel	1.4305	black grey RAL 7021	bright	65	14,6	M8	18	37	22,9	30	-
B0588.06508X40	L	stainless steel	1.4305	black grey RAL 7021	bright	65	14,6	M8	18	37	22,9	40	-
B0588.07508X20	L	stainless steel	1.4305	black grey RAL 7021	bright	75	18,4	M8	22	41	25,2	20	-
B0588.07508X25	L	stainless steel	1.4305	black grey RAL 7021	bright	75	18,4	M8	22	41	25,2	25	-
B0588.07508X30	L	stainless steel	1.4305	black grey RAL 7021	bright	75	18,4	M8	22	41	25,2	30	-
B0588.07508X40	L	stainless steel	1.4305	black grey RAL 7021	bright	75	18,4	M8	22	41	25,2	40	-
B0588.07510X20	L	stainless steel	1.4305	black grey RAL 7021	bright	75	18,4	M10	22	41	25,2	20	-
B0588.07510X30	L	stainless steel	1.4305	black grey RAL 7021	bright	75	18,4	M10	22	41	25,2	30	-
B0588.07510X40	L	stainless steel	1.4305	black grey RAL 7021	bright	75	18,4	M10	22	41	25,2	40	-
B0588.08510X30	L	stainless steel	1.4305	black grey RAL 7021	bright	85	19,6	M10	24	45	26,5	30	-
B0588.08510X40	L	stainless steel	1.4305	black grey RAL 7021	bright	85	19,6	M10	24	45	26,5	40	-
B0588.08510X50	L	stainless steel	1.4305	black grey RAL 7021	bright	85	19,6	M10	24	45	26,5	50	-

T-grip thermoplastic

Overview of items

Order No.	Form	Component material	Steel key	Main colour	Surface finish component	A	B	D	D3	H	H1	L	T
B0588.08512X30	L	stainless steel	1.4305	black grey RAL 7021	bright	85	19,6	M12	24	45	26,5	30	-
B0588.08512X40	L	stainless steel	1.4305	black grey RAL 7021	bright	85	19,6	M12	24	45	26,5	40	-
B0588.08512X50	L	stainless steel	1.4305	black grey RAL 7021	bright	85	19,6	M12	24	45	26,5	50	-
B0588.65505X15	L	steel	1.0715	traffic red RAL 3020	blue-passivated	55	12,6	M5	16	33	21,3	15	-
B0588.65505X20	L	steel	1.0715	traffic red RAL 3020	blue-passivated	55	12,6	M5	16	33	21,3	20	-
B0588.66506X20	L	steel	1.0715	traffic red RAL 3020	blue-passivated	65	14,6	M6	18	37	22,9	20	-
B0588.66506X25	L	steel	1.0715	traffic red RAL 3020	blue-passivated	65	14,6	M6	18	37	22,9	25	-
B0588.66506X30	L	steel	1.0715	traffic red RAL 3020	blue-passivated	65	14,6	M6	18	37	22,9	30	-
B0588.66506X40	L	steel	1.0715	traffic red RAL 3020	blue-passivated	65	14,6	M6	18	37	22,9	40	-
B0588.66508X20	L	steel	1.0715	traffic red RAL 3020	blue-passivated	65	14,6	M8	18	37	22,9	20	-
B0588.66508X25	L	steel	1.0715	traffic red RAL 3020	blue-passivated	65	14,6	M8	18	37	22,9	25	-
B0588.66508X30	L	steel	1.0715	traffic red RAL 3020	blue-passivated	65	14,6	M8	18	37	22,9	30	-
B0588.66508X40	L	steel	1.0715	traffic red RAL 3020	blue-passivated	65	14,6	M8	18	37	22,9	40	-
B0588.67508X20	L	steel	1.0715	traffic red RAL 3020	blue-passivated	75	18,4	M8	22	41	25,2	20	-
B0588.67508X25	L	steel	1.0715	traffic red RAL 3020	blue-passivated	75	18,4	M8	22	41	25,2	25	-
B0588.67508X30	L	steel	1.0715	traffic red RAL 3020	blue-passivated	75	18,4	M8	22	41	25,2	30	-
B0588.67508X40	L	steel	1.0715	traffic red RAL 3020	blue-passivated	75	18,4	M8	22	41	25,2	40	-
B0588.67510X20	L	steel	1.0715	traffic red RAL 3020	blue-passivated	75	18,4	M10	22	41	25,2	20	-
B0588.67510X30	L	steel	1.0715	traffic red RAL 3020	blue-passivated	75	18,4	M10	22	41	25,2	30	-
B0588.67510X40	L	steel	1.0715	traffic red RAL 3020	blue-passivated	75	18,4	M10	22	41	25,2	40	-
B0588.67510X50	L	steel	1.0715	traffic red RAL 3020	blue-passivated	75	18,4	M10	22	41	25,2	50	-
B0588.68510X30	L	steel	1.0715	traffic red RAL 3020	blue-passivated	85	19,6	M10	24	45	26,5	30	-
B0588.68510X40	L	steel	1.0715	traffic red RAL 3020	blue-passivated	85	19,6	M10	24	45	26,5	40	-
B0588.68510X50	L	steel	1.0715	traffic red RAL 3020	blue-passivated	85	19,6	M10	24	45	26,5	50	-
B0588.68512X30	L	steel	1.0715	traffic red RAL 3020	blue-passivated	85	19,6	M12	24	45	26,5	30	-
B0588.68512X40	L	steel	1.0715	traffic red RAL 3020	blue-passivated	85	19,6	M12	24	45	26,5	40	-
B0588.68512X50	L	steel	1.0715	traffic red RAL 3020	blue-passivated	85	19,6	M12	24	45	26,5	50	-
B0588.065505X15	L	stainless steel	1.4305	traffic red RAL 3020	bright	55	12,6	M5	16	33	21,3	15	-
B0588.065505X20	L	stainless steel	1.4305	traffic red RAL 3020	bright	55	12,6	M5	16	33	21,3	20	-
B0588.066506X20	L	stainless steel	1.4305	traffic red RAL 3020	bright	65	14,6	M6	18	37	22,9	20	-
B0588.066506X25	L	stainless steel	1.4305	traffic red RAL 3020	bright	65	14,6	M6	18	37	22,9	25	-
B0588.066506X30	L	stainless steel	1.4305	traffic red RAL 3020	bright	65	14,6	M6	18	37	22,9	30	-
B0588.066506X40	L	stainless steel	1.4305	traffic red RAL 3020	bright	65	14,6	M6	18	37	22,9	40	-
B0588.066508X20	L	stainless steel	1.4305	traffic red RAL 3020	bright	65	14,6	M8	18	37	22,9	20	-
B0588.066508X25	L	stainless steel	1.4305	traffic red RAL 3020	bright	65	14,6	M8	18	37	22,9	25	-
B0588.066508X30	L	stainless steel	1.4305	traffic red RAL 3020	bright	65	14,6	M8	18	37	22,9	30	-
B0588.066508X40	L	stainless steel	1.4305	traffic red RAL 3020	bright	65	14,6	M8	18	37	22,9	40	-
B0588.067508X20	L	stainless steel	1.4305	traffic red RAL 3020	bright	75	18,4	M8	22	41	25,2	20	-
B0588.067508X25	L	stainless steel	1.4305	traffic red RAL 3020	bright	75	18,4	M8	22	41	25,2	25	-
B0588.067508X30	L	stainless steel	1.4305	traffic red RAL 3020	bright	75	18,4	M8	22	41	25,2	30	-
B0588.067508X40	L	stainless steel	1.4305	traffic red RAL 3020	bright	75	18,4	M8	22	41	25,2	40	-
B0588.067510X20	L	stainless steel	1.4305	traffic red RAL 3020	bright	75	18,4	M10	22	41	25,2	20	-
B0588.067510X30	L	stainless steel	1.4305	traffic red RAL 3020	bright	75	18,4	M10	22	41	25,2	30	-
B0588.067510X40	L	stainless steel	1.4305	traffic red RAL 3020	bright	75	18,4	M10	22	41	25,2	40	-
B0588.067510X50	L	stainless steel	1.4305	traffic red RAL 3020	bright	75	18,4	M10	22	41	25,2	50	-
B0588.068510X30	L	stainless steel	1.4305	traffic red RAL 3020	bright	85	19,6	M10	24	45	26,5	30	-
B0588.068510X40	L	stainless steel	1.4305	traffic red RAL 3020	bright	85	19,6	M10	24	45	26,5	40	-
B0588.068510X50	L	stainless steel	1.4305	traffic red RAL 3020	bright	85	19,6	M10	24	45	26,5	50	-
B0588.068512X30	L	stainless steel	1.4305	traffic red RAL 3020	bright	85	19,6	M12	24	45	26,5	30	-
B0588.068512X40	L	stainless steel	1.4305	traffic red RAL 3020	bright	85	19,6	M12	24	45	26,5	40	-
B0588.068512X50	L	stainless steel	1.4305	traffic red RAL 3020	bright	85	19,6	M12	24	45	26,5	50	-