

## Split pins DIN EN ISO 1234

### Item description/product images



### Description

#### Material:

Steel or stainless steel 1.4310.

#### Version:

Steel galvanised.

Stainless steel bright.


#### Note:

Split pins are used in machine construction and automotive engineering as retaining elements. They are often used for securing castle nuts. After the split pin is pushed through a hole, the ends are bent over to ensure a secure lock.

The split pin can be shortened. As a rule, the split pin should be roughly double the length of the hole.

As the material structure can weaken through bending and straightening, the split pins should not be reused after they have been removed from the hole.

### Drawings



### Overview of items

#### Split pins DIN EN ISO 1234

| Order No.     | Main material | Hole diameters | D1 max. | L  | A min. | B   | C max. | for screws | for screw Ø |
|---------------|---------------|----------------|---------|----|--------|-----|--------|------------|-------------|
| B0440.1010X10 | steel         | 1              | 0,9     | 10 | 0,8    | 3   | 1,8    | 3,5-4,5    | 3-4         |
| B0440.1010X12 | steel         | 1              | 0,9     | 12 | 0,8    | 3   | 1,8    | 3,5-4,5    | 3-4         |
| B0440.1010X16 | steel         | 1              | 0,9     | 16 | 0,8    | 3   | 1,8    | 3,5-4,5    | 3-4         |
| B0440.1010X20 | steel         | 1              | 0,9     | 20 | 0,8    | 3   | 1,8    | 3,5-4,5    | 3-4         |
| B0440.1010X25 | steel         | 1              | 0,9     | 25 | 0,8    | 3   | 1,8    | 3,5-4,5    | 3-4         |
| B0440.1010X32 | steel         | 1              | 0,9     | 32 | 0,8    | 3   | 1,8    | 3,5-4,5    | 3-4         |
| B0440.1010X40 | steel         | 1              | 0,9     | 40 | 0,8    | 3   | 1,8    | 3,5-4,5    | 3-4         |
| B0440.1012X10 | steel         | 1,2            | 1       | 10 | 1,25   | 3   | 2      | 4,5-5,5    | 4-5         |
| B0440.1012X12 | steel         | 1,2            | 1       | 12 | 1,25   | 3   | 2      | 4,5-5,5    | 4-5         |
| B0440.1012X16 | steel         | 1,2            | 1       | 16 | 1,25   | 3   | 2      | 4,5-5,5    | 4-5         |
| B0440.1012X20 | steel         | 1,2            | 1       | 20 | 1,25   | 3   | 2      | 4,5-5,5    | 4-5         |
| B0440.1012X25 | steel         | 1,2            | 1       | 25 | 1,25   | 3   | 2      | 4,5-5,5    | 4-5         |
| B0440.1012X32 | steel         | 1,2            | 1       | 32 | 1,25   | 3   | 2      | 4,5-5,5    | 4-5         |
| B0440.1012X36 | steel         | 1,2            | 1       | 36 | 1,25   | 3   | 2      | 4,5-5,5    | 4-5         |
| B0440.1012X40 | steel         | 1,2            | 1       | 40 | 1,25   | 3   | 2      | 4,5-5,5    | 4-5         |
| B0440.1016X10 | steel         | 1,6            | 1,4     | 10 | 1,25   | 3,2 | 2,8    | 5,5-7      | 5-6         |
| B0440.1016X12 | steel         | 1,6            | 1,4     | 12 | 1,25   | 3,2 | 2,8    | 5,5-7      | 5-6         |
| B0440.1016X16 | steel         | 1,6            | 1,4     | 16 | 1,25   | 3,2 | 2,8    | 5,5-7      | 5-6         |
| B0440.1016X20 | steel         | 1,6            | 1,4     | 20 | 1,25   | 3,2 | 2,8    | 5,5-7      | 5-6         |

# Split pins DIN EN ISO 1234

## Overview of items

| Order No.      | Main material | Hole diameters | D1 max. | L   | A min. | B   | C max. | for screws | for screw Ø |
|----------------|---------------|----------------|---------|-----|--------|-----|--------|------------|-------------|
| B0440.1016X25  | steel         | 1,6            | 1,4     | 25  | 1,25   | 3,2 | 2,8    | 5,5-7      | 5-6         |
| B0440.1016X32  | steel         | 1,6            | 1,4     | 32  | 1,25   | 3,2 | 2,8    | 5,5-7      | 5-6         |
| B0440.1016X36  | steel         | 1,6            | 1,4     | 36  | 1,25   | 3,2 | 2,8    | 5,5-7      | 5-6         |
| B0440.1016X40  | steel         | 1,6            | 1,4     | 40  | 1,25   | 3,2 | 2,8    | 5,5-7      | 5-6         |
| B0440.1016X50  | steel         | 1,6            | 1,4     | 50  | 1,25   | 3,2 | 2,8    | 5,5-7      | 5-6         |
| B0440.1020X10  | steel         | 2              | 1,8     | 10  | 1,25   | 4   | 3,6    | 7-9        | 6-8         |
| B0440.1020X12  | steel         | 2              | 1,8     | 12  | 1,25   | 4   | 3,6    | 7-9        | 6-8         |
| B0440.1020X16  | steel         | 2              | 1,8     | 16  | 1,25   | 4   | 3,6    | 7-9        | 6-8         |
| B0440.1020X20  | steel         | 2              | 1,8     | 20  | 1,25   | 4   | 3,6    | 7-9        | 6-8         |
| B0440.1020X25  | steel         | 2              | 1,8     | 25  | 1,25   | 4   | 3,6    | 7-9        | 6-8         |
| B0440.1020X32  | steel         | 2              | 1,8     | 32  | 1,25   | 4   | 3,6    | 7-9        | 6-8         |
| B0440.1020X36  | steel         | 2              | 1,8     | 36  | 1,25   | 4   | 3,6    | 7-9        | 6-8         |
| B0440.1020X40  | steel         | 2              | 1,8     | 40  | 1,25   | 4   | 3,6    | 7-9        | 6-8         |
| B0440.1020X45  | steel         | 2              | 1,8     | 45  | 1,25   | 4   | 3,6    | 7-9        | 6-8         |
| B0440.1020X50  | steel         | 2              | 1,8     | 50  | 1,25   | 4   | 3,6    | 7-9        | 6-8         |
| B0440.1025X16  | steel         | 2,5            | 2,3     | 16  | 1,25   | 5   | 4,6    | 9-11       | 8-9         |
| B0440.1025X20  | steel         | 2,5            | 2,3     | 20  | 1,25   | 5   | 4,6    | 9-11       | 8-9         |
| B0440.1025X25  | steel         | 2,5            | 2,3     | 25  | 1,25   | 5   | 4,6    | 9-11       | 8-9         |
| B0440.1025X32  | steel         | 2,5            | 2,3     | 32  | 1,25   | 5   | 4,6    | 9-11       | 8-9         |
| B0440.1025X36  | steel         | 2,5            | 2,3     | 36  | 1,25   | 5   | 4,6    | 9-11       | 8-9         |
| B0440.1025X40  | steel         | 2,5            | 2,3     | 40  | 1,25   | 5   | 4,6    | 9-11       | 8-9         |
| B0440.1025X50  | steel         | 2,5            | 2,3     | 50  | 1,25   | 5   | 4,6    | 9-11       | 8-9         |
| B0440.1025X56  | steel         | 2,5            | 2,3     | 56  | 1,25   | 5   | 4,6    | 9-11       | 8-9         |
| B0440.1025X63  | steel         | 2,5            | 2,3     | 63  | 1,25   | 5   | 4,6    | 9-11       | 8-9         |
| B0440.1032X16  | steel         | 3,2            | 2,9     | 16  | 1,6    | 6,4 | 5,8    | 11-14      | 9-12        |
| B0440.1032X20  | steel         | 3,2            | 2,9     | 20  | 1,6    | 6,4 | 5,8    | 11-14      | 9-12        |
| B0440.1032X25  | steel         | 3,2            | 2,9     | 25  | 1,6    | 6,4 | 5,8    | 11-14      | 9-12        |
| B0440.1032X32  | steel         | 3,2            | 2,9     | 32  | 1,6    | 6,4 | 5,8    | 11-14      | 9-12        |
| B0440.1032X36  | steel         | 3,2            | 2,9     | 36  | 1,6    | 6,4 | 5,8    | 11-14      | 9-12        |
| B0440.1032X40  | steel         | 3,2            | 2,9     | 40  | 1,6    | 6,4 | 5,8    | 11-14      | 9-12        |
| B0440.1032X45  | steel         | 3,2            | 2,9     | 45  | 1,6    | 6,4 | 5,8    | 11-14      | 9-12        |
| B0440.1032X50  | steel         | 3,2            | 2,9     | 50  | 1,6    | 6,4 | 5,8    | 11-14      | 9-12        |
| B0440.1032X56  | steel         | 3,2            | 2,9     | 56  | 1,6    | 6,4 | 5,8    | 11-14      | 9-12        |
| B0440.1032X63  | steel         | 3,2            | 2,9     | 63  | 1,6    | 6,4 | 5,8    | 11-14      | 9-12        |
| B0440.1032X71  | steel         | 3,2            | 2,9     | 71  | 1,6    | 6,4 | 5,8    | 11-14      | 9-12        |
| B0440.1040X100 | steel         | 4              | 3,7     | 100 | 2      | 8   | 7,4    | 14-20      | 12-17       |
| B0440.1040X112 | steel         | 4              | 3,7     | 112 | 2      | 8   | 7,4    | 14-20      | 12-17       |
| B0440.1040X125 | steel         | 4              | 3,7     | 125 | 2      | 8   | 7,4    | 14-20      | 12-17       |
| B0440.1040X15  | steel         | 4              | 3,7     | 15  | 2      | 8   | 7,4    | 14-20      | 12-17       |
| B0440.1040X20  | steel         | 4              | 3,7     | 20  | 2      | 8   | 7,4    | 14-20      | 12-17       |
| B0440.1040X25  | steel         | 4              | 3,7     | 25  | 2      | 8   | 7,4    | 14-20      | 12-17       |
| B0440.1040X32  | steel         | 4              | 3,7     | 32  | 2      | 8   | 7,4    | 14-20      | 12-17       |
| B0440.1040X36  | steel         | 4              | 3,7     | 36  | 2      | 8   | 7,4    | 14-20      | 12-17       |
| B0440.1040X40  | steel         | 4              | 3,7     | 40  | 2      | 8   | 7,4    | 14-20      | 12-17       |
| B0440.1040X45  | steel         | 4              | 3,7     | 45  | 2      | 8   | 7,4    | 14-20      | 12-17       |
| B0440.1040X50  | steel         | 4              | 3,7     | 50  | 2      | 8   | 7,4    | 14-20      | 12-17       |
| B0440.1040X56  | steel         | 4              | 3,7     | 56  | 2      | 8   | 7,4    | 14-20      | 12-17       |
| B0440.1040X63  | steel         | 4              | 3,7     | 63  | 2      | 8   | 7,4    | 14-20      | 12-17       |
| B0440.1040X71  | steel         | 4              | 3,7     | 71  | 2      | 8   | 7,4    | 14-20      | 12-17       |
| B0440.1040X80  | steel         | 4              | 3,7     | 80  | 2      | 8   | 7,4    | 14-20      | 12-17       |
| B0440.1040X90  | steel         | 4              | 3,7     | 90  | 2      | 8   | 7,4    | 14-20      | 12-17       |
| B0440.1050X100 | steel         | 5              | 4,6     | 100 | 2      | 10  | 9,2    | 20-27      | 17-23       |
| B0440.1050X112 | steel         | 5              | 4,6     | 112 | 2      | 10  | 9,2    | 20-27      | 17-23       |
| B0440.1050X125 | steel         | 5              | 4,6     | 125 | 2      | 10  | 9,2    | 20-27      | 17-23       |
| B0440.1050X20  | steel         | 5              | 4,6     | 20  | 2      | 10  | 9,2    | 20-27      | 17-23       |
| B0440.1050X25  | steel         | 5              | 4,6     | 25  | 2      | 10  | 9,2    | 20-27      | 17-23       |
| B0440.1050X32  | steel         | 5              | 4,6     | 32  | 2      | 10  | 9,2    | 20-27      | 17-23       |
| B0440.1050X36  | steel         | 5              | 4,6     | 36  | 2      | 10  | 9,2    | 20-27      | 17-23       |
| B0440.1050X40  | steel         | 5              | 4,6     | 40  | 2      | 10  | 9,2    | 20-27      | 17-23       |
| B0440.1050X45  | steel         | 5              | 4,6     | 45  | 2      | 10  | 9,2    | 20-27      | 17-23       |
| B0440.1050X50  | steel         | 5              | 4,6     | 50  | 2      | 10  | 9,2    | 20-27      | 17-23       |
| B0440.1050X56  | steel         | 5              | 4,6     | 56  | 2      | 10  | 9,2    | 20-27      | 17-23       |

# Split pins DIN EN ISO 1234

## Overview of items

| Order No.      | Main material      | Hole diameters | D1 max. | L   | A min. | B    | C max. | for screws | for screw Ø |
|----------------|--------------------|----------------|---------|-----|--------|------|--------|------------|-------------|
| B0440.1050X63  | steel              | 5              | 4,6     | 63  | 2      | 10   | 9,2    | 20-27      | 17-23       |
| B0440.1050X71  | steel              | 5              | 4,6     | 71  | 2      | 10   | 9,2    | 20-27      | 17-23       |
| B0440.1050X80  | steel              | 5              | 4,6     | 80  | 2      | 10   | 9,2    | 20-27      | 17-23       |
| B0440.1050X90  | steel              | 5              | 4,6     | 90  | 2      | 10   | 9,2    | 20-27      | 17-23       |
| B0440.1063X100 | steel              | 6,3            | 5,9     | 100 | 2      | 12,6 | 11,8   | 27-39      | 23-29       |
| B0440.1063X112 | steel              | 6,3            | 5,9     | 112 | 2      | 12,6 | 11,8   | 27-39      | 23-29       |
| B0440.1063X125 | steel              | 6,3            | 5,9     | 125 | 2      | 12,6 | 11,8   | 27-39      | 23-29       |
| B0440.1063X25  | steel              | 6,3            | 5,9     | 25  | 2      | 12,6 | 11,8   | 27-39      | 23-29       |
| B0440.1063X32  | steel              | 6,3            | 5,9     | 32  | 2      | 12,6 | 11,8   | 27-39      | 23-29       |
| B0440.1063X36  | steel              | 6,3            | 5,9     | 36  | 2      | 12,6 | 11,8   | 27-39      | 23-29       |
| B0440.1063X40  | steel              | 6,3            | 5,9     | 40  | 2      | 12,6 | 11,8   | 27-39      | 23-29       |
| B0440.1063X45  | steel              | 6,3            | 5,9     | 45  | 2      | 12,6 | 11,8   | 27-39      | 23-29       |
| B0440.1063X50  | steel              | 6,3            | 5,9     | 50  | 2      | 12,6 | 11,8   | 27-39      | 23-29       |
| B0440.1063X56  | steel              | 6,3            | 5,9     | 56  | 2      | 12,6 | 11,8   | 27-39      | 23-29       |
| B0440.1063X63  | steel              | 6,3            | 5,9     | 63  | 2      | 12,6 | 11,8   | 27-39      | 23-29       |
| B0440.1063X71  | steel              | 6,3            | 5,9     | 71  | 2      | 12,6 | 11,8   | 27-39      | 23-29       |
| B0440.1063X80  | steel              | 6,3            | 5,9     | 80  | 2      | 12,6 | 11,8   | 27-39      | 23-29       |
| B0440.1080X100 | steel              | 8              | 7,5     | 100 | 2      | 16   | 15     | 39-56      | 29-44       |
| B0440.1080X112 | steel              | 8              | 7,5     | 112 | 2      | 16   | 15     | 39-56      | 29-44       |
| B0440.1080X125 | steel              | 8              | 7,5     | 125 | 2      | 16   | 15     | 39-56      | 29-44       |
| B0440.1080X50  | steel              | 8              | 7,5     | 50  | 2      | 16   | 15     | 39-56      | 29-44       |
| B0440.1080X63  | steel              | 8              | 7,5     | 63  | 2      | 16   | 15     | 39-56      | 29-44       |
| B0440.1080X80  | steel              | 8              | 7,5     | 80  | 2      | 16   | 15     | 39-56      | 29-44       |
| B0440.1100X100 | steel              | 10             | 9,5     | 100 | 3,2    | 20   | 19     | 56-80      | 44-69       |
| B0440.1100X112 | steel              | 10             | 9,5     | 112 | 3,2    | 20   | 19     | 56-80      | 44-69       |
| B0440.1100X125 | steel              | 10             | 9,5     | 125 | 3,2    | 20   | 19     | 56-80      | 44-69       |
| B0440.1100X140 | steel              | 10             | 9,5     | 140 | 3,2    | 20   | 19     | 56-80      | 44-69       |
| B0440.1100X160 | steel              | 10             | 9,5     | 160 | 3,2    | 20   | 19     | 56-80      | 44-69       |
| B0440.1100X180 | steel              | 10             | 9,5     | 180 | 3,2    | 20   | 19     | 56-80      | 44-69       |
| B0440.1100X200 | steel              | 10             | 9,5     | 200 | 3,2    | 20   | 19     | 56-80      | 44-69       |
| B0440.1100X56  | steel              | 10             | 9,5     | 56  | 3,2    | 20   | 19     | 56-80      | 44-69       |
| B0440.1100X63  | steel              | 10             | 9,5     | 63  | 3,2    | 20   | 19     | 56-80      | 44-69       |
| B0440.1100X71  | steel              | 10             | 9,5     | 71  | 3,2    | 20   | 19     | 56-80      | 44-69       |
| B0440.1100X80  | steel              | 10             | 9,5     | 80  | 3,2    | 20   | 19     | 56-80      | 44-69       |
| B0440.1100X90  | steel              | 10             | 9,5     | 90  | 3,2    | 20   | 19     | 56-80      | 44-69       |
| B0440.2010X16  | stainless steel A2 | 1              | 0,9     | 16  | 0,8    | 3    | 1,8    | 3,5-4,5    | 3-4         |
| B0440.2010X20  | stainless steel A2 | 1              | 0,9     | 20  | 0,8    | 3    | 1,8    | 3,5-4,5    | 3-4         |
| B0440.2016X10  | stainless steel A2 | 1,6            | 1,4     | 10  | 1,25   | 3,2  | 2,8    | 5,5-7      | 5-6         |
| B0440.2016X12  | stainless steel A2 | 1,6            | 1,4     | 12  | 1,25   | 3,2  | 2,8    | 5,5-7      | 5-6         |
| B0440.2016X16  | stainless steel A2 | 1,6            | 1,4     | 16  | 1,25   | 3,2  | 2,8    | 5,5-7      | 5-6         |
| B0440.2016X20  | stainless steel A2 | 1,6            | 1,4     | 20  | 1,25   | 3,2  | 2,8    | 5,5-7      | 5-6         |
| B0440.2016X25  | stainless steel A2 | 1,6            | 1,4     | 25  | 1,25   | 3,2  | 2,8    | 5,5-7      | 5-6         |
| B0440.2016X32  | stainless steel A2 | 1,6            | 1,4     | 32  | 1,25   | 3,2  | 2,8    | 5,5-7      | 5-6         |
| B0440.2020X10  | stainless steel A2 | 2              | 1,8     | 10  | 1,25   | 4    | 3,6    | 7-9        | 6-8         |
| B0440.2020X16  | stainless steel A2 | 2              | 1,8     | 16  | 1,25   | 4    | 3,6    | 7-9        | 6-8         |
| B0440.2020X20  | stainless steel A2 | 2              | 1,8     | 20  | 1,25   | 4    | 3,6    | 7-9        | 6-8         |
| B0440.2020X25  | stainless steel A2 | 2              | 1,8     | 25  | 1,25   | 4    | 3,6    | 7-9        | 6-8         |
| B0440.2020X32  | stainless steel A2 | 2              | 1,8     | 32  | 1,25   | 4    | 3,6    | 7-9        | 6-8         |
| B0440.2020X40  | stainless steel A2 | 2              | 1,8     | 40  | 1,25   | 4    | 3,6    | 7-9        | 6-8         |
| B0440.2025X20  | stainless steel A2 | 2,5            | 2,3     | 20  | 1,25   | 5    | 4,6    | 9-11       | 8-9         |
| B0440.2025X25  | stainless steel A2 | 2,5            | 2,3     | 25  | 1,25   | 5    | 4,6    | 9-11       | 8-9         |
| B0440.2025X32  | stainless steel A2 | 2,5            | 2,3     | 32  | 1,25   | 5    | 4,6    | 9-11       | 8-9         |
| B0440.2032X16  | stainless steel A2 | 3,2            | 2,9     | 16  | 1,6    | 6,4  | 5,8    | 11-14      | 9-12        |
| B0440.2032X20  | stainless steel A2 | 3,2            | 2,9     | 20  | 1,6    | 6,4  | 5,8    | 11-14      | 9-12        |
| B0440.2032X25  | stainless steel A2 | 3,2            | 2,9     | 25  | 1,6    | 6,4  | 5,8    | 11-14      | 9-12        |
| B0440.2032X32  | stainless steel A2 | 3,2            | 2,9     | 32  | 1,6    | 6,4  | 5,8    | 11-14      | 9-12        |
| B0440.2032X36  | stainless steel A2 | 3,2            | 2,9     | 36  | 1,6    | 6,4  | 5,8    | 11-14      | 9-12        |
| B0440.2032X40  | stainless steel A2 | 3,2            | 2,9     | 40  | 1,6    | 6,4  | 5,8    | 11-14      | 9-12        |
| B0440.2032X50  | stainless steel A2 | 3,2            | 2,9     | 50  | 1,6    | 6,4  | 5,8    | 11-14      | 9-12        |
| B0440.2032X63  | stainless steel A2 | 3,2            | 2,9     | 63  | 1,6    | 6,4  | 5,8    | 11-14      | 9-12        |
| B0440.2040X20  | stainless steel A2 | 4              | 3,7     | 20  | 2      | 8    | 7,4    | 14-20      | 12-17       |
| B0440.2040X25  | stainless steel A2 | 4              | 3,7     | 25  | 2      | 8    | 7,4    | 14-20      | 12-17       |

## Split pins DIN EN ISO 1234

### Overview of items

| Order No.      | Main material      | Hole diameters | D1 max. | L   | A min. | B    | C max. | for screws | for screw Ø |
|----------------|--------------------|----------------|---------|-----|--------|------|--------|------------|-------------|
| B0440.2040X32  | stainless steel A2 | 4              | 3,7     | 32  | 2      | 8    | 7,4    | 14-20      | 12-17       |
| B0440.2040X40  | stainless steel A2 | 4              | 3,7     | 40  | 2      | 8    | 7,4    | 14-20      | 12-17       |
| B0440.2040X50  | stainless steel A2 | 4              | 3,7     | 50  | 2      | 8    | 7,4    | 14-20      | 12-17       |
| B0440.2040X63  | stainless steel A2 | 4              | 3,7     | 63  | 2      | 8    | 7,4    | 14-20      | 12-17       |
| B0440.2050X32  | stainless steel A2 | 5              | 4,6     | 32  | 2      | 10   | 9,2    | 20-27      | 17-23       |
| B0440.2050X36  | stainless steel A2 | 5              | 4,6     | 36  | 2      | 10   | 9,2    | 20-27      | 17-23       |
| B0440.2050X40  | stainless steel A2 | 5              | 4,6     | 40  | 2      | 10   | 9,2    | 20-27      | 17-23       |
| B0440.2050X50  | stainless steel A2 | 5              | 4,6     | 50  | 2      | 10   | 9,2    | 20-27      | 17-23       |
| B0440.2050X63  | stainless steel A2 | 5              | 4,6     | 63  | 2      | 10   | 9,2    | 20-27      | 17-23       |
| B0440.2063X36  | stainless steel A2 | 6,3            | 5,9     | 36  | 2      | 12,6 | 11,8   | 27-39      | 23-29       |
| B0440.2063X40  | stainless steel A2 | 6,3            | 5,9     | 40  | 2      | 12,6 | 11,8   | 27-39      | 23-29       |
| B0440.2063X50  | stainless steel A2 | 6,3            | 5,9     | 50  | 2      | 12,6 | 11,8   | 27-39      | 23-29       |
| B0440.2063X63  | stainless steel A2 | 6,3            | 5,9     | 63  | 2      | 12,6 | 11,8   | 27-39      | 23-29       |
| B0440.2063X80  | stainless steel A2 | 6,3            | 5,9     | 80  | 2      | 12,6 | 11,8   | 27-39      | 23-29       |
| B0440.2080X100 | stainless steel A2 | 8              | 7,5     | 100 | 2      | 16   | 15     | 39-56      | 29-44       |
| B0440.2080X50  | stainless steel A2 | 8              | 7,5     | 50  | 2      | 16   | 15     | 39-56      | 29-44       |
| B0440.2080X80  | stainless steel A2 | 8              | 7,5     | 80  | 2      | 16   | 15     | 39-56      | 29-44       |
| B0440.2100X100 | stainless steel A2 | 10             | 9,5     | 100 | 3,2    | 20   | 19     | 56-80      | 44-69       |
| B0440.2100X63  | stainless steel A2 | 10             | 9,5     | 63  | 3,2    | 20   | 19     | 56-80      | 44-69       |
| B0440.2100X71  | stainless steel A2 | 10             | 9,5     | 71  | 3,2    | 20   | 19     | 56-80      | 44-69       |
| B0440.2100X80  | stainless steel A2 | 10             | 9,5     | 80  | 3,2    | 20   | 19     | 56-80      | 44-69       |